## 2010 Tundra 4x4 Features

		- 34	ılar Ca	SR5		SR5	le Cab	Ltd	SR5	rew/	Platin
	Std	Std	Long	Long	Std	Std	Long	Std	Short	Short	
INTERIOR	4.6L	5.7L	4.6L	5.7L	4.6L	5.7L	5.7L	5.7L	5.7L	5.7L	5.71
M/FM CD/MP3/WMA Player, Audio Auxiliary Input Jack, Antenna Pole	•	•	•	•	•	•	•	-	•	-	-
BL® Audio, AM/FM CD/MP3/WMA In-Dash 6-Disc Changer, Audio Auxiliary											
nput Jack, Integrated XM® Satellite Radio, Bluetooth®4 Capability,											
steering Wheel Controls, Antenna Pole, 400-Walt Sound System	-	-	-	-	_	_	-	•		•	•
Speakers	•	•	•	•	-	-	-	-	-	-	-
5-Speakers	-	-	-	-	•	•	•	-	•	-	_
.O-Speakers	-	-	-	-	-	-	-	•	-	-	_
.2-Speakers	-	-	-	-	-	-	-	-	-	•	•
Oual Zone Climate Control, Cabin Air Filter	•	•	•	•	•	•	•	-	•	-	-
Dual Zone Automatic Climate Control, Cabin Air Filter	-	-	-	-	-	-	-	•	-	•	•
Rear Seat Heat Ducts	-	-	-	-	•	•	•	•	•	•	•
Full Fabric Seat Material	•	•	•	-	-	-	-	-	-	-	-
Premium Cloth Seat Material	-	-	-	•	•	•	•	-	•	-	_
eather Seat Surfaces, Leather-Wrapped Steering Wheel,											
Voodgrain & Leather-Wrapped Shift Knob	-	-	-	-	-	-	-	•	-	•	-
Perforated Leather Seat Surfaces, Woodgrain & Leather-Wrapped											
Steering Wheel & Shift Knob	-	-	-	-	-	-	-	-	-	-	•
40/20/40 Split Front Bench Seat	•	•	•	•	•	•	-	-	-	-	-
Oriver & Front Passenger Bucket Seats	-	-	-	-	-	-	•	•	•	•	•
ower 8-Way Driver Seat	-	-	-	-	-	-	•	-	•	-	-
Heated Driver & Front Passenger Seats	-	-	-	-	-	-	-	•	-	•	-
Oriver Seat w/Recline, Fore/Aft Adjustments	•	•	•	•	•	•	-	-	-	-	-
Oriver Seat Cushion-Height Adjustment	-	-	-	-	•	•	-	-	-	-	-
ront Passenger Seat w/Recline, Fore/Aft Adjustments	•	•	•	•	•	•	•	-	•	-	_
ront Passenger Seat Fold-Down Seat Back	•	•	•	•	-	-	_	-	-	-	_
Power 10-Way Driver & Power 4-Way Front Passenger Seat w/Recline,											
ore/Aft, Lumbar Support, Cushion-Height Adjustments,											
Oriver Seat Memory System	-	-	-	-	-	-	-	•	-	•	•
Oriver & Front Passenger Heated & Ventilated Bucket Seats	-	-	-	-	-	-	-	-	-	-	•
50/40 Split Rear Bench Seat w/Fold-Up Seat Cushions	-	-	-	-	•	•	•	•	-	-	-
50/40 Split Rear Bench Seat w/Slide, Recline, Fold-Down Seat Back											
E Centre Armrest	-	-	-	-	-	-	-	-	•	•	•
All-Position Vertically Adjustable Headrests	•	•	•	•	•	•	•	•	•	•	•
Power Door Locks	-	-	-	•	•	•	•	•	•	•	•
Power Windows w/Driver Side Auto Down	-	-	-	•	•	•	•	•	•	•	-
Power Front Windows w/Auto Up/Down	-	-	-	-	-	-	-	-	-	-	•
ixed Rear Window	•	•	•	-	•	•	-	-	-	-	-
iliding Rear Window	-	-	-	•	-	-	•	-	-	-	-
Power Sliding Rear Window	-	-	-	-	-	-	-	•	-	-	-
ower Vertical Sliding Rear Window	-	-	-	-	-	-	-	-	•	•	•
/oltmeter, Water Temperature Gauge, Dual Trip Odometer, Tachometer	•	•	•	•	•	•	•	•	•	•	•
Outside Temperature Gauge, Automatic Transmission											
Dil Temperature Gauge	-	-	-	•	•	•	•	•	•	•	•
Optitron Gauges, Multi-Information Display	-	-	-	-	-	-	-	•	-	•	•
rip Computer	-	-	-	-	-	-	•	•	•	•	•
Dual Vanity Mirrors	-	-	-	-	•	•	•	-	•	-	_

		Regi	ular Ca	b		Doub	le Cab	)		rewN	lax
	Std	Std	Long	SR5 Long	Std	SR5 Std	Long	Ltd Std	SR5 Short	Ltd Short	Platinum Short
INTERIOR (cont'd)	4.6L	5.7L	4.6L	5.7L	4.6L	5.7L	5.7L	5.7L	5.7L	5.7L	5.7L
Dual Illuminated Vanity Mirrors, Auto-Dimming Rear View Mirror											
w/Digital Compass & Backup Camera	-	-	-	-	-	-	-	•	-	•	•
Fabric Door Trim	-	-	-	-	•	•	•	-	•	-	-
Simulated Leather Door Trim	-	-	-	-	-	-	-	•	-	•	•
Woodgrain Trim	-	-	-	-	-	-	-	-	-	•	•
Silver Painted Inner Door Handles	-	-	-	-	-	-	-	•	-	•	-
Chrome Inner Door Handles	-	-	-	-	-	-	-	-	-	-	•
4-Spoke Tilt Steering Wheel	•	•	•	•	•	•	-	-	-	-	-
4-Spoke Tilt, Telescopic Steering Wheel	-	-	-	-	-	-	•	-	•	-	-
4-Spoke Power Tilt & Telescopic Steering Wheel	-	-	-	-	-	-	-	•	-	•	•
Vinyl Floor, All-Season Floor Mats	•	•	•	-	-	-	-	-	-	-	-
Carpeting, Carpet Floor Mats	-	-	-	•	•	•	•	•	•	•	•
CONVENIENCE											
Cruise Control	•	•	•	•	•	•	•	•	•	•	•
Digital Clock	•	•	•	•	•	•	•	•	•	•	•
Front Console Storage Box w/Lid, Overhead Console Box	-	-	-	-	-	-	•	•	•	•	•
Driver & Front Passenger Seat Back Pockets	-	-	-	-	-	-	•	•	•	•	•
Under Rear Seat Storage Trays	-	-	-	-	-	-	•	-	-	-	_
ntegrated Garage Door Opener	-	-	-	-	-	-	•	•	•	•	•
Overhead Sunglass Storage	•	•	•	•	•	•	•	•	•	•	•
Front Cupholders	•	•	•	•	-	-	_	-	_	-	_
Front & Rear Cupholders	-	-	_	_	•	•	•	•	•	•	•
Retained Accessory Power	-	-	_	_	•	•	•	•	•	•	•
Accessory Power Outlet	•	•	•	•	•	•	•	•	•	•	•
Door Courtesy Lamps, Map Lamps, Illuminated Entry	-	-	-	-	•	•	•	•	•	•	•
Keyless Entry	-	-	-	•	•	•	•	•	•	•	•
SAFETY											
Dual-Stage Driver & Passenger Airbag Supplemental Restraint System (SRS) <sup>1</sup>	•	•	•	•	•	•	•	•	•	•	•
Front Passenger Airbag Occupancy Classification Indicator	•	•	•	•	•	•	•	•	•	•	•
Front Seat-Mounted Side Airbags (SRS) <sup>1</sup>	•	•	•	•	•	•	•	•	•	•	•
Front Knee Airbags (SRS) <sup>1</sup>	•	•	•	•	•	•	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags (SRS) <sup>1</sup>	•	•	•	•	-	-	_	-	_	-	_
Roll-Sensing Front & Rear Head/Side Curtain Airbags (SRS) <sup>1</sup>	-	-	-	-	•	•	•	•	•	•	•
Head/Side Curtain Airbags Off Switch	•	•	•	•	•	•	•	•	•	•	•
Child Protector Rear Door Locks	-	-	-	-	•	•	•	•	•	•	•
Anchor Points for Child Restraint Seats	•	•	•	•	•	•	•	•	•	•	•
All-Position 3-Point Lap & Shoulder Belts	•	•	•	•	•	•	•	•	•	•	•
Adjustable "B" Pillar Shoulder Belt Anchors	•	•	•	•	•	•	•	•	•	•	•
Front Tow Hook	•	•	•	•	•	•	•	•	•	•	•
Vehicle Anti-Theft System	-	-	-	_	-	_	-	•	_	•	•
Engine Immobilizer	•	•	•	•	•	•	•	•	•	•	•
Front & Rear Clearance Sonar	-	-	-	-	-	-	-	•	_	•	•
Automatic Transmission Oil Temperature, Low Fuel, Low Washer Fluid											
& Door Ajar Warning Indicators	•	•	•	•	•	•	•	•	•	•	•
Direct Tire Pressure Monitoring System	•	•	•	•	•	•	•	•	•	•	•

<sup>● =</sup> Standard — = Not Available

## 2010 Tundra 4x4 Features

		Regu	ılar Ca				le Cab		_	rew/	
	Std	Std	Long	SR5 Long	Std	SR5 Std	Long	Ltd Std	SR5 Short	Ltd Short	Platinu Short
EXTERIOR	4.6L	5.7L	4.6L	5.7L	4.6L	5.7L	5.7L	5.7L	5.7L	5.7L	5.7L
18" Styled Steel Wheels	•	•	•	_	•	•	_	_	_	_	_
18" Aluminum Alloy Wheels, Wheel Locks	-	-	-	•	-	-	•	-	•	-	-
20" 5-Spoke Aluminum Alloy Wheels, Wheel Locks	-	-	_	-	-	-	-	•	-	•	_
20" Multi-Spoke Aluminum Alloy Wheels, Wheel Locks	-	-	-	-	-	-	-	-	-	-	•
Unique Alloy Wheels	-	-	_	-	-	-	_	-	-	•	•
Long Bed (8.1 feet)	-	-	•	•	-	-	•	-	-	-	_
Standard Bed (6.5 feet)	•	•	-	-	•	•	-	•	-	-	-
Short Bed (5.5 feet)	-	-	_	-	-	-	-	-	•	•	•
High Solar Energy Absorbing Window Glass	•	•	•	•	•	•	•	•	•	•	•
Rear Window Privacy Glass	-	-	_	-	-	-	•	•	•	•	•
Foldable Mirrors	•	•	•	•	•	•	•	-	•	-	_
Dual Heated, Power Adjustable Mirrors	•	•	-	-	•	•	-	•	-	•	•
Dual, Power Folding Auto-Dimming Side View Mirrors w/Integrated											
Signal Lamps & Memory System, Puddle Lamps	-	-	-	-	-	-	-	•	-	•	•
Extendable Heated, Power Adjustable Mirrors w/Turn Signals	-	-	•	•	-	-	•	-	•	-	-
Front & Rear Splash Guards	•	•	•	•	•	•	•	•	•	•	•
Heavy Duty Tow Hitch Receiver, 4 Pin/7 Pin Trailer Wire Harness, Electronic											
Trailer Brake Control Connector, Class IV Weight Distribution Trailer Hitch	•	•	•	•	•	•	•	•	•	•	•
Black Door & Tailgate Handles	•	•	•	•	•	•	•	-	•	-	_
Black Resin Front Bumper, Black Steel Rear Bumper, Black Resin Front Grille	•	•	•	-	-	-	-	-	-	-	-
Colour-Keyed & Chrome Front Bumper	-	-	-	•	-	-	-	-	-	-	•
Coloured Front Bumper	-	-	-	-	•	•	•	•	•	•	_
Chrome Grille, Chrome Rear Bumper	-	-	-	•	•	•	•	•	•	•	•
Limited Grade Front Grille	-	-	-	-	-	-	-	•	-	•	•
Rear Step Bumper	•	•	•	•	•	•	•	•	•	•	•
Chrome Mirrors & Chrome Finished Door Handles	-	-	-	-	-	-	-	•	-	•	•
Power Tilt/Slide Moonroof w/Sunshade	-	-	-	-	-	-	-	-	-	•	•
2-Speed Wipers, Windshield Wiper De-Icer	•	•	•	-	-	-	-	-	-	-	-
Variable Intermittent Wipers, Windshield Wiper De-Icer	-	-	-	•	•	•	•	•	•	•	•
Electric Rear Window Defroster	•	•	•	•	•	•	•	•	•	•	•
Automatic Headlamp System	-	-	-	-	-	-	-	•	-	•	•
Adjustable Headlamp Levelling System	-	-	-	•	-	-	•	•	•	•	•
Automatic Headlamp Cancel Function	•	•	•	•	•	•	•	-	•	-	-
Fog Lamps	-	-	-	-	-	-	•	•	•	•	•
Bed Rail Caps, Cargo Bed Tie-Downs	•	•	•	•	•	•	•	•	•	•	•
Easy Lower & Lift Tailgate Removable Locking Tailgate	•	•	•	•	•	•	•	•	•	•	•
Bed Rail System, Tie-Down Cleats (set of 4)	-	-	-	•	-	-	-	•	•	•	•

<sup>● =</sup> Standard ○ = Optional — = Not Available

		Regu	lar Ca	b		Doubl	e Cab		C	rew <i>N</i>	lax	
	Std	Std	Long	SR5 Long	Std	SR5 Std	Long	Ltd Std			Platinum Short	
AGES	4.6L	5.7L	4.6L	5.7L	4.6L	5.7L	5.7L	5.7L	5.7L	5.7L	5.7L	

### Regular Cab TRD Off-Road Package:

Bed Rail System, Tie-Down Cleats, Keyless Entry, Power Door Locks &
Windows w/Driver Side Auto-Down, Console Mounted Gate-Type Shifter
Lever, Tilt & Telescopic Steering Wheel, Integrated XM® Satellite Radio,
Bluetooth® Capability, Steering Wheel Controls, USB Audio Input, Front
Bucket Seats w/Recline, Sliding Rear Window, Front Console Box,
Auto-Dimming Rear View Mirror w/Digital Compass, Carpeting, Carpet
Floor Mats, Vehicle Anti-Theft System, Integrated Garage Door Opener,
Colour-Keyed & Chrome Front Bumper, Chrome Grille & Rear Bumper,
Variable Intermittent Wipers, 18" Aluminum Alloy Wheels w/Wheel Locks,
P2.75/65R18 Raised White Letter Tires, Premium Cloth Seats,
Front & Rear Bilstein Shock Absorbers, Outside Temperature Gauge,
Automatic Transmission Oil Temperature Gauge, SR5 Badges, Fog Lamps,
Map Lamps, TRD Decals

### Regular Cab SR5 Package:

Bed Rail System, Tie-Down Cleats, Power Door Locks & Windows w/Driver Side Auto-Down, Keyless Entry, Sliding Rear Window, Premium Cloth Seats, Colour-Keyed & Chrome Front Bumper, Chrome Grille & Rear Bumper, Variable Intermittent Wipers, Carpeting, Carpet Floor Mats, 18" Aluminum Alloy Wheels w/Wheel Locks, P275/65R18 Tires, Automatic Transmission Oil Temperature Gauge, Outside Temperature Gauge, SR5 Badges

### Regular Cab i-FORCE ST Edition:

TRD Off-Road Package Plus: 3945 kg (8700 lb) Towing Capacity,
Front & Rear Clearance Sonar, Coloured Bumpers, Coloured Grille,
20" Aluminum Alloy Wheels, P275/55R20 Tires, Stainless Steel Side
Step Bars, Bed Liner, Special Edition Shift Knob & Badges, Scuff Plates,
Aluminum Sport Pedals w/Rubber Inserts, Dash Kit-Trim, TriFold Hard
Tonneau Cover, Chrome Exhaust Tip, Special Edition Decals, (Delete Raised
White Letter Tires, Front Bilstein Shock Absorbers, Rear Bilstein Shock
Absorbers, Towing Equipment, TRD Decals)

### Double Cab Upgrade Package:

Front Bucket Seats, Power 8-Way Driver Seat, Console Mounted Gate-Type
Shifter Lever, Tilt & Telescopic Steering Wheel, Rear Privacy Glass, Overhead
Console Box, Front Seat Back Pockets, Sliding Rear Window, Front Console
Box, Auto-Dimming Rear View Mirror w/Digital Compass, 18" Aluminum
Alloy Wheels w/Wheel Locks, P275/65R18 Tires, Trip Computer, Under
Rear Seat Storage Trays, Integrated Garage Door Opener, Fog Lamps,

### Double Cab TRD Off-Road Package:

Upgrade Package plus: Front & Rear Bilstein Shock Absorbers, Bed Rail System, Tie-Down Cleats, Front & Rear Clearance Sonar, Adjustable Headlamp Levelling System, Integrated XM® Satellite Radio, Bluetooth® Capability, Steering Wheel Controls, USB Audio Input, Power Sliding Rear Window, Vehicle Anti-Theft System, Raised White Letter Tires, Unique Alloy Wheels, TRD Decals

## 2010 Tundra 4x4 Features

		Regu	ılar Ca	b		Doub	le Cab		C	:rew <i>N</i>	lax
	Std	Std	Long	SR5 Long	Std	SR5 Std	Long	Ltd Std	SR5 Short	Ltd Short	Platinum Short
PACKAGES (cont'd)	4.6L	5.7L	4.6L	5.7L	4.6L	5.7L	5.7L	5.7L	5.7L	5.7L	5.7L
Double Cab Leather & Navigation Package:											
Upgrade Package plus: 20" Aluminum Alloy Wheels, P275/55R20 Tires,											
DVD Based Navigation System, <sup>5</sup> Power Sliding Rear Window, Front & Rear											
Clearance Sonar, Bed Rail System, Tie-Down Cleats, Vehicle Anti-Theft											
System, Adjustable Headlamp Levelling System, Leather Seat Surfaces,											
Heated Front Seats		_	_	_	0	0		-	_	_	
Double Cab Long Bed Upgrade Package:											
Bed Rail System, Tie-Down Cleats, Integrated XM® Satellite Radio,											
Bluetooth® Capability, Steering Wheel Controls, USB Audio Input, Power Sliding Rear Window, Front & Rear Clearance Sonar,											
Vehicle Anti-Theft System	_	_	_	_	_	_	0	_	_	_	_
Double Cab i-FORCE ST Edition:											
Upgrade Package Plus: Integrated XM® Satellite Radio, Bluetooth®4											
Capability, Steering Wheel Controls, USB Audio Input, Power Sliding Rear											
Window, Front & Rear Clearance Sonar, Adjustable Headlamp Levelling											
System, Vehicle Anti-Theft System, 20" Aluminum Alloy Wheels,											
P275/55R20 Tires, Coloured Grille, Colour-Keyed Bumpers,											
Special Edition Badging, Stainless Steel Side Step Bars, Bed Liner,											
Scuff Plates, Bed Rail System, Tie-Down Cleats, Aluminum Sport											
Pedals w/Rubber Inserts, Dash Kit-Trim, Trifold Hard Tonneau Cover,											
Chrome Exhaust Tip, Special Edition Decals, 3765 kg (8300 lb) Towing Capacity (Delete Towing Equipment)						0					
		_		_	_			_	_	_	
CrewMax - 4x4 TRD Off-Road Package: Integrated XM® Satellite Radio, Bluetooth® Capability, Steering Wheel											
Controls, USB Audio Input, Front & Rear Bilstein Shock Absorbers,											
P275/65R18 Raised White Letter Tires, Unique Alloy Wheels, Front & Real											
Clearance Sonar, Power Moonroof, Auto-Dimming Rear View Mirror											
w/Backup Camera & Digital Compass, Vehicle Anti-Theft System,											
TRD Decals	-	-	-	-	-	-	-	-	0	-	-
Double Cab LTD & CrewMax Platinum Navigation Package:											
DVD-Based Navigation System <sup>5</sup> w/Backup Camera, 7.0" LCD Display,											
XM® Real-Time Traffic Capability, <sup>5</sup> 4-Disc CD Changer											
(Delete 6-Disc CD Changer)		-	-	-	-	-	-	0	-	-	0

## 2010 Tundra 4x4 Specifications

1	Regular Cab			Double Cab				CrewMax			
	Std	Std	Long	SR5 Long	Std	SR5 Std	Long	Ltd Std	SR5 Short	Ltd Short	Platinum Short
MECHANICAL	4.6L	5.7L	4.6L	5.7L	4.6L	5.7L	5.7L	5.7L	5.7L	5.7L	5.7L
Engine											
4.6 Litre, i-FORCE V8, DOHC, 32-Valve, Dual Variable Valve Timing w/Intelligence (Dual VVT-i), Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler	•	_	•	_	•	_	_	_	_	_	_
5.7 Litre, i-FORCE V8, DOHC, 32-Valve, Dual Variable Valve Timing w/Intelligence (Dual VVT-i), Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler	_	•	_	•	_	•	•	•	•	•	•
Compression Ratio											
10.2:1	•	•	•	•	•	•	•	•	•	•	•
Horsepower											
310 hp (231 kW) @ 5,600 rpm	•	-	•	-	•	-	-	-	-	-	-
381 hp (284 kW) @ 5,600 rpm	-	•	-	•	-	•	•	•	•	•	•
Torque											
327 lb.ft. (443 N.m.) @ 3,400 rpm	•	-	•	-	•	-	-	-	-	-	-
401 lb.ft. (544 N.m.) @ 3,600 rpm	-	•	-	•	-	•	•	•	•	•	•
Suspension Front: Double-Wishbone, Gas-Filled Shock Absorbers, Coil Springs, Stabilizer Bar	•	•	•	•	•	•	•	•	•	•	•
Rear: Heavy-Duty Multi-Leaf Springs, Bias Mounted Gas-Filled Shock Absorbers	•	•	•	•	•	•	•	•	•	•	•
Front/Rear: Bilstein Shock Absorbers	0	0	-	-	0	0	-	-	0	-	-
Drivetrain											
Automatic Limited Slip Rear Differential, Vehicle Stability Control (VSC) w/Active Traction Control (A-TRAC), One-Touch 4WD, Engine and Transfer Case Protector Plates, Engine Undercover	•	•	•	•	•	•	•	•	•	•	•
Transmission											
6-Speed, Automatic, Super Electronically Controlled Transmission (Super ECT), Sequential Shift Mode, Overdrive, Tow/Haul Mode, Lock-Up Torque Converter	•	•	•	•	•	•	•	•	•	•	•
Transmission Cooler, Automatic Transmission Fluid Warmer	•	•	•	•	•	•	•	•	•	•	•
Column Shifter	•	•	•	•	•	•	0	0	-	-	-
Console Mounted Gate-Type Shifter	-	-	-	-	-	-	•	•	•	•	•
Brakes  Power Assisted II Wheel Vertilated Diseas Antilagle Peopling System (ARC)											
Power-Assisted, 4-Wheel Ventilated Discs, Antilock Braking System (ABS) w/Electronic Brake-force Distribution (EBD), Brake Assist (BA), 14" Front Wheel Discs	•	•	•	•	•	•	•	•	•	•	•
Steering											
Rack & Pinion w/Variable Power Assist	•	•	•	•	•	•	•	•	•	•	•
Tires  P255/70P19 All Soaron Padials Sparo w/Stool Whool	_		_		_						
P255/70R18, All-Season Radials, Spare w/Steel Wheel	_	•	•	_	•	_	_	_	_	_	
P275/65R18, All-Season Radials, Spare w/Steel Wheel		-	0		0	0	_	_	0	_	
P275/65R18, Raised White Letter Tires, Spare w/Steel Wheel	0	U	_		U	U	_		U		

- 0 - - 0 0 - • - •

P275/55R20, All-Season Radials, Spare w/Steel Wheel

14

- - - - 0 0 - - - -

<sup>● =</sup> Standard ○ = Optional − = Not Available

# 2010 Tundra 4x4 Specifications

			Regular Cab				le Cab	_	_	rew/		
		Std	Std	Long	SR5 Long	Std	SR5 Std	Long	Ltd Std	SR5 Short		Platinur Short
DIMENSIONS	mm (in.)	4.6L	5.7L	4.6L	5.7L	4.6L	5.7L	5.7L	5.7L	5.7L	5.7L	5.7L
_ength	5329 (209.8)	•	•	-	-	-	-	-	-	-	-	-
	5810 (228.7)	_	-	•	•	•	•	-	•	•	•	•
	6290 (247.6)	-	-	-	-	-	-	•	-	-	-	-
Width	2030 (79.9)	•	•	•	•	•	•	•	•	•	•	•
leight (Unloaded)	1935 (76.2)	•	•	•	•	-	-	•	-	-	-	-
	1940 (76.3)	-	-	-	-	•	•	-	•	•	•	•
Cargo Bed Length	2480 (97.6)	-	-	•	•	-	-	•	-	-	-	-
	2000 (78.7)	•	•	-	-	•	•	-	•	-	-	-
	1695 (66.7)	-	-	-	-	-	-	-	-	•	•	•
Cargo Bed Width (Between Wheel Wells)	1270 (50.0)	•	•	•	•	•	•	•	•	•	•	•
Cargo Bed Depth	564 (22.2)	•	•	•	•	•	•	•	•	•	•	•
Wheelbase	3220 [126.8]	•	•	-	-	-	-	-	-	-	-	-
	3700 (145.6)	-	-	•	•	•	•	-	•	•	•	•
	4180 (164.5)	-	-	-	-	-	-	•	-	-	-	-
<b>Frack</b>	Front: 1725 (67.9)	•	•	•	•	•	•	•	•	•	•	•
	<b>Rear:</b> 1725 (67.9)	•	•	•	•	•	•	•	•	•	•	•
eating Capacity	3	•	•	•	•	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	•	•	•	•	•
	6	-	-	-	-	•	•	-	-	-	-	-
leadroom	Front: 1021 (40.2)	•	•	•	•	•	•	•	•	•	•	•
	<b>Rear:</b> 983 (38.7)	-	-	-	-	•	•	•	•	•	•	•
.egroom	Front: 1079 (42.5)	•	•	•	•	•	•	•	•	•	•	•
	Rear: 882 (34.7)	-	-	-	-	•	•	•	•	-	-	-
	<b>Rear:</b> 1131 (44.5)	-	-	-	-	-	-	-	-	•	•	•
Shoulder Room	Front: 1692 (66.6)	•	•	•	•	•	•	•	•	•	•	•
	<b>Rear:</b> 1668 (65.7)	-	-	-	-	•	•	•	•	-	-	-
	<b>Rear:</b> 1662 [65.4]	-	-	-	-	-	-	-	-	•	•	•
Ground Clearance	275 (10.8)	•	•	•	-	•	-	-	-	-	-	-
	270 (10.6)	-	-	-	•	-	•	•	-	•	-	-
	265 (10.4)	-	-	-	-	-	-	-	•	-	•	•
Approach Angle (degrees)	28	•	•	•	•	-	-	-	-	-	•	•
	29	-	-	-	-	•	•	•	•	•	-	-
Departure Angle (degrees)	27	•	•	-	-	-	-	-	-	-	-	-
	21	-	-	•	•	-	-	-	-	-	-	-
	20	-	-	-	-	•	•	•	•	•	•	•
GROSS VEHICLE WEIGHT	kg (lb.)											
GROSS VEHICLE WEIGHT												
	3084 (6800) 3080 (6800)	•	-	_	-	_	_	-	_		_	-
		_	•	-	_	_		_	-	-	-	_
	3175 (7000)	-	_	•		_	-	-	-	-	-	_
	3265 (7200)	-	_	_	•	-	-	•	-	•	•	•
	3125 (6900)	_	_	_	_	•	-	_	_	_	_	_
	3220 (7100)	-	-	-	-	-	•	-	•	-	-	-

				Regu	ılar Ca	b		Doub	le Cat	)	C	rewN	۸ax
			Std	Std	Long	SR5 Long	Std	SR5 Std	Long	Ltd Std	SR5 Short		Platinu
CURB WEIGHT	kg (lb.)		4.6L	5.7L	4.6L	5.7L	4.6L	5.7L	5.7L	5.7L	5.7L	5.7L	5.7L
	2271 (5005)		•	_	-	-	_	_	_	-	-	-	_
	2304 (5080)		-	•	-	-	-	-	-	-	-	-	-
	2317 (5110)		-	-	•	-	-	-	-	-	-	-	-
	2350 (5180)		-	-	-	•	-	-	-	-	-	-	-
	2443 (5385)		-	-	-	-	•	-	-	-	-	-	-
	2476 (5460)		-	-	-	-	-	•	-	-	-	-	-
	2567 (5660)		-	-	-	-	-	-	•	-	-	-	-
	2486 (5480)		-	-	-	-	-	-	-	•	-	-	-
	2551 (5625)		-	-	-	-	-	-	-	-	•	-	-
	2561 (5645)		-	-	-	-	-	-	-	-	-	•	•
TOWING CAPACITY	kg (lb.)												
	3945 (8700)		•	-	-	-	-	-	-	-	-	-	-
	4580 (10100)		-	•	-	-	-	-	•	-	•	•	•
	3900 (8600)		-	-	•	-	-	-	-	-	-	-	-
	4760 (10500)		-	-	-	•	-	-	-	-	-	-	-
	3765 (8300)		-	-	-	-	•	-	-	-	-	-	-
	4670 (10300)		-	-	-	-	-	•	-	-	-	-	-
	4625 (10200)		-	-	-	-	-	-	-	•	-	-	-
PAYLOAD <sup>3</sup>	kg (lb.)												
	720 (1595)		•	-	-	-	-	-	-	-	-	-	-
	690 (1530)		-	•	-	-	-	-	-	-	-	-	-
	765 (1690)		-	-	•	-	-	-	-	-	-	-	-
	830 (1835)		-	-	-	•	-	-	-	-	-	-	-
	565 (1255)		-	-	-	-	•	-	-	-	-	-	-
	630 (1395)		-	-	-	-	-	•	-	-	-	-	-
	615 (1365)		-	-	-	-	-	-	•	-	-	-	_
	645 (1430)		-	-	-	-	-	-	-	•	-	-	-
	600 (1325)		-	-	-	-	-	-	-	-	•	-	_
	590 (1310)		-	-	-	-	-	-	-	-	-	•	•
TURNING CIRCLE	m (ft.)												
	12.0 (39.2)		•	•	-	-	-	-	-	-	-	-	-
	13.4 (44.0)		-	-	•	•	•	•	-	•	•	•	•
	14.9 [49.0]		-	-	-	-	-	-	•	-	-	-	-
FUEL CAPACITY	litres (gal)												
	100 (22.0)		•	•	•	•	•	•	•	•	•	•	•
FUEL CONSUMPTION RATING <sup>2</sup>													
	L/100 km	трд											
FUEL CONSUMPTION RATING <sup>2</sup> ity/Highway/Combined	<b>L/100 km</b> 14.9/10.5/12.9	<b>mpg</b> 19/27/22	•	_	•	_	•	_	_				_

■ = Standard — = Not Available

# 2010 Tundra 4x2 Features

	Regu	lar Cab	Doub	ole Cab	Crew
	Long	SR5 Long	SF Std	R5 Long	SR Sho
INTERIOR	4.6L	5.7L	4.6L	5.7L	
AM/FM CD/MP3/WMA Player, 4-Speakers, Audio Auxiliary Input Jack, Antenna Pole	•	•	_	_	_
AM/FM CD/MP3/WMA Player, 6-Speakers, Audio Auxiliary Input Jack, Antenna Pole	_	_	•	•	•
Dual Zone Climate Control, Cabin Air Filter	•	•	•	•	•
Rear Seat Heater Ducts	_	-	•	•	•
Full Fabric Seat Material	•	-	_	_	_
Premium Cloth Seat Material	_	•	•	•	•
40/20/40 Split Front Bench Seat	•	•	•	-	_
Driver & Front Passenger Bucket Seats	-	-	-	•	•
Driver Seat w/Recline, Fore/Aft Adjustments	•	•	•	-	_
Driver Seat Cushion-Height Adjustment	_	-	•	-	_
Power 8–Way Driver Seat w/Recline, Fore/Aft, Cushion–Height Adjustments	_	-	-	•	•
Front Passenger Seat w/Recline, Fore/Aft Adjustments	•	•	•	•	•
Front Passenger Seat Fold-Down Seat Back	•	•	-	-	_
60/40 Split Rear Bench Seat w/Fold-Up Seat Cushions	_	-	•	•	-
60/40 Split Rear Bench Seat w/Slide, Recline, Fold-Down Seat Back & Centre Armrest	_	-	-	-	•
All-Position Vertically Adjustable Headrests	•	•	•	•	•
Power Door Locks	_	•	•	•	•
Power Windows w/Driver Side Auto Down	_	•	•	•	•
Trip Computer	_	-	-	•	•
Fixed Rear Window	•	-	•	-	_
Sliding Rear Window	_	•	-	•	-
Power Vertical Sliding Rear Window	-	-	-	-	•
Voltmeter, Water Temperature Gauge, Dual Trip Odometer, Tachometer, Automatic Transmission Oil Temperature Gauge	•	•	•	•	•
Outside Temperature Gauge	_	•	•	•	•
Dual Vanity Mirrors	_	-	•	•	•
Auto-Dimming Rear View Mirror w/Digital Compass	-	-	-	•	•
4-Spoke Tilt Steering Wheel	•	•	•	-	_
4-Spoke Tilt, Telescopic Steering Wheel	-	-	-	•	•
Fabric Door Trim	-	-	•	•	•
Vinyl Floor, All-Season Floor Mats	•	-	-	-	-
Carpeting, Carpet Floor Mats	_	•	•	•	•

● = Standard — = Not Available

	Kegul	lar Cab	Doubl	le Cab	Ln
	Long	SR5 Long	SR Std		SI
CONVENIENCE	4.6L	5.7L	4.6L	5.7L	5
Cruise Control	•	•	•	•	
Digital Clock	•	•	•	•	
Front Console Storage Box w/Lid, Overhead Console Box	-	-	-	•	
Driver & Front Passenger Seat Back Pockets	-	-	-	•	
Under Rear Seat Storage Trays	-	-	-	•	
Integrated Garage Door Opener	-	-	-	•	•
Overhead Sunglass Storage	•	•	•	•	
Front Cupholders	•	•	-	-	
Front & Rear Cupholders	-	-	•	•	
Retained Accessory Power	-	-	•	•	
Accessory Power Outlet	•	•	•	•	
Door Courtesy Lamps, Map Lamps	-	-	•	•	•
Illuminated Entry	-	-	•	•	•
Keyless Entry	-	•	•	•	
EXTERIOR					
18" Styled Steel Wheels	•	-	•	-	
					_

EXTERIOR					
18" Styled Steel Wheels	•	-	•	-	-
18" Aluminum Alloy Wheels, Wheel Locks	-	•	-	•	•
Long Bed (8.1 feet)	•	•	-	•	-
Standard Bed (6.5 feet)	-	-	•	-	-
Short Bed (5.5 feet)	-	-	-	-	•
High Solar Energy Absorbing Window Glass	•	•	•	•	•
Rear Window Privacy Glass	-	-	-	•	•
Foldable Mirrors	•	•	•	•	•
Dual Heated Power Adjustable Mirrors	-	-	•	-	-
Extendable Heated, Power Adjustable Mirrors w/Turn Signals	•	•	-	•	•
Front & Rear Splash Guards	•	•	•	•	•
Heavy Duty Tow Hitch Receiver, 4 Pin/7 Pin Trailer Wire Harness, Electronic Trailer Brake Control Prewire, Class IV Weight Distribution Trailer Hitch	•	•	•	•	•
Black Door & Tailgate Handles	•	•	•	•	•
Black Resin Front Bumper, Black Steel Rear Bumper, Black Resin Front Grille	•	-	-	-	-
Colour-Keyed & Chrome Front Bumper	-	•	-	-	-
Coloured Front Bumper	-	-	•	•	•
Chrome Grille, Chrome Rear Bumper	-	•	•	•	•
Rear Step Bumper	•	•	•	•	•
2-Speed Wipers, Windshield Wiper De-Icer	•	-	-	-	-
Variable Intermittent Wipers, Windshield Wiper De-Icer	-	•	•	•	•
Electric Rear Window Defroster	-	-	-	-	•
Adjustable Headlamp Levelling System	-	-	-	•	-

- • • • •

Automatic Headlamp Cancel Function

Bed Rail System, Tie-Down Cleats (set of 4)

Fog Lamps Bed Rail Caps

SR5 Badges

6

## 2010 Tundra 4x2 Features

LOTO Tallala TXL Teatales					
	Regu	lar Cab		ole Cab	CrewMax
	Lona	SR5 Lona	Std Std	R5 Long	SR5 Short
SAFETY	4.6L	5.7L	4.6L	5.7L	
Dual-Stage Driver & Passenger Airbag Supplemental Restraint System (SRS) <sup>1</sup>	•	•	•	•	•
Front Passenger Airbag Occupancy Classification Indicator	•	•	•	•	•
Front Seat-Mounted Side Airbags (SRS)¹	•	•	•	•	•
Front Knee Airbags (SRS) <sup>1</sup>	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags (SRS) <sup>1</sup>	•	•	-	-	-
Roll-Sensing Front & Rear Head/Side Curtain Airbags (SRS) <sup>1</sup>	-	-	•	•	•
Front Passenger Airbag Off Switch	•	•	-	-	-
Head/Side Curtain Airbags Off Switch	•	•	•	•	•
Child Protector Rear Door Locks	-	-	•	•	•
Anchor Points for Child Restraint Seats	•	•	•	•	•
All-Position 3-Point Lap & Shoulder Belts	•	•	•	•	•
Adjustable "B" Pillar Shoulder Belt Anchors	•	•	•	•	•
Engine Immobilizer	•	•	•	•	•
Automatic Transmission Oil Temperature, Low Fuel, Low Washer Fluid & Door Ajar Warning Indicators	•	•	•	•	•
Direct Tire Pressure Monitoring System	•	•	•	•	•
PACKAGES					
Regular Cab SR5 Package:					

0 - - - -

- - 0 - -

- - 0 - -

Bed Rail System, Tie-Down Cleats, Power Door Locks & Windows, Keyless Entry, Sliding Rear Window, Premium Cloth Seats, Colour-Keyed & Chrome Front Bumper, Chrome Grille & Rear Bumper, Variable Intermittent Wipers, Carpeting, Carpet Floor Mats, 18" Aluminum Alloy Wheels w/Wheel Locks, P275/65R18 Tires, Automatic Transmission Oil Temperature Gauge, Outside Temperature Gauge, SR5 Badges

Front Bucket Seats, Power 8-Way Driver Seat, Console Mounted Gate-Type Shifter Lever, Tilt & Telescopic Steering Wheel, Rear Privacy Glass, Overhead Console Box, Front Seat Back Pockets, Sliding Rear Window, Front Console Box, Auto-Dimming Rear View Mirror w/Digital Compass, 18" Aluminum Alloy Wheels w/Wheel Locks, P275/65R18 Tires, Trip Computer, Under Rear Seat Storage Trays, Integrated Garage Door Opener, Fog Lamps, Map Lamps

### Double Cab Upgrade Package:

SR5 Package plus: Bed Rail System, Tie-Down Cleats, Front & Rear Clearance Sonar, Adjustable Headlamp Levelling System, Integrated XM® Satellite Radio, Bluetooth®4 Capability, Steering Wheel Controls, USB Audio Input, Power Sliding Rear Window, Vehicle Anti-Theft System

## CrewMax Upgrade Package:

Integrated XM® Satellite Radio, Bluetooth®4 Capability, Steering Wheel Controls, USB Audio Input, Front & Rear Clearance Sonar, Power Moonroof, Auto-Dimming Rear View Mirror w/Backup Camera & Digital Compass, Vehicle Anti-Theft System, Adjustable Headlamp Levelling System

# 2010 Tundra 4x2 Specifications

	Regu	Regular Cab		Double Cab	
	Long	SR5 Long	Std Std	R5 Long	SR5 Short
MECHANICAL	4.6L	5.7L	4.6L	5.7L	
Engine					
4.6 Litre, i-FORCE V8, DOHC, 32-Valve, Dual Variable Valve Timing w/Intelligence (Dual VVT-i),					
Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler	•	-	•	-	-
5.7 Litre, i-FORCE V8, DOHC, 32-Valve, Dual Variable Valve Timing w/Intelligence (Dual VVT-i), Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler	_	•	_	•	•
Compression Ratio					
10.2:1	-	•	-	•	•
Horsepower					
310 hp (231 kW) @ 5,600 rpm	•	-	•	-	-
381 hp (284 kW) @ 5,600 rpm	-	•	-	•	•
Torque					
327 lb.ft. (443 N.m.) @ 3,400 rpm	•	-	•	-	-
401 lb.ft. (544 N.m.) @ 3,600 rpm	-	•	-	•	•
Suspension					
Front: Double-Wishbone, Gas-Filled Shock Absorbers, Coil Springs, Stabilizer Bar	•	•	•	•	•
Rear: Heavy-Duty Multi-Leaf Springs, Bias Mounted Gas-Filled Shock Absorbers	•	•	•	•	•
Drivetrain					
Automatic Limited Slip Rear Differential, Vehicle Stability Control (VSC), Traction Control (TRAC)	•	•	•	•	•
Transmission					
6-Speed, Automatic, Super Electronically Controlled Transmission (Super ECT),					
Sequential Shift Mode, Overdrive, Tow/Haul Mode, Lock-Up Torque Converter	•	•	•	•	•
Transmission Cooler, Automatic Transmission Fluid Warmer	•	•	•	•	•
Column Shifter	•	•	•	-	-
Console Mounted Gate-Type Shifter	-	-	-	•	•
Brakes					
Power-Assisted, 4-Wheel Ventilated Discs, Antilock Braking System (ABS) w/Electronic Brake-force Distribution (EBD), Brake Assist (BA)	•	•	•	•	•
Steering					
Rack & Pinion w/Variable Power Assist	•	•	•	•	•
Tires P255/70R18, All-Season Radials, Spare w/Steel Wheel	•	_	•	_	_
P275/65R18, All-Season Radials, Spare w/Steel Wheel	0	•	0	•	•

## 2010 Tundra 4x2 Specifications

			Regular Cab SR5		Double Cab SR5	
		Long	Long	Std	Long	SR5 Shor
MENSIONS	mm (in.)	4.6L	5.7L	4.6L	5.7L	5.7
gth	5810 (228.7)	•	•	•	-	•
	6290 (247.6)	-	-	-	•	-
lth	2030 (79.9)	•	•	•	•	•
ght (Unloaded)	1925 (75.7)	•	•	-	•	•
	1930 (75.9)	_	-	•	-	-
jo Bed Length	2480 (97.6)	•	•	-	•	-
	2000 (78.7)	-	-	•	-	-
	1695 (66.7)	-	-	-	-	•
go Bed Width (Between Wheel Wells)		•	•	•	•	•
go Bed Depth	564 (22.2)	•	•	•	•	•
heelbase	3700 (145.6)	•	•	•	_	•
	4180 (164.5)	_	_	_	•	_
ack	Front: 1725 (67.9)	•	•	•	•	•
	Rear: 1725 (67.9)	•	•	•	•	•
ing Capacity	3	•	•	_	_	
g capacity	5		_	_	•	•
	6		_	•	_	_
eadroom	Front: 1021 (40.2)	•	•	•	•	•
			_	·	·	•
groom						
	Front: 1079 (42.5)	•	•	•	•	•
	Rear: 882 (34.7)		-	•	•	_
	Rear: 1131 (44.5)	-	-	-	_	•
ılder Room	Front: 1694 (66.7)	•	•	-	_	•
	Front: 1692 (66.6)		-	•	•	-
	Rear: 1668 (65.7)		_	•	•	_
	<b>Rear:</b> 1662 (65.4)		-	_	_	•
und Clearance	265 (10.4)	•	•	•	-	-
	260 (10.2)	_	-	-	•	•
pproach Angle (degrees)	27	•	•	-	-	-
	28	-	-	•	•	•
arture Angle (degrees)	21	•	•	-	-	-
	20	-	-	•	•	•
OSS VEHICLE WEIGHT	kg (lb.)					
	3080 [6800]	•		_	_	
	3175 (7000)		•	_	•	•
	3035 (6700)		_	•	_	_
RB WEIGHT	kg (lb.)					
	2192 [4830]	•	-	-	-	_
	2226 (4910)	-	•	-	-	-
	2306 (5085)	-	-	•	-	-
	2430 (5355)	_	-	-	•	-
	2419 (5335)		_		_	•

				Regular C S Long Lo				CrewMa
						SR Std	25 Long	SR5 Short
TOWING CAPACITY	kg (lb.)			4.6L	5.7L	4.6L	5.7L	5.7L
	4035 (8900)			•	_	_	_	_
	4895 (10800)			-	•	-	-	-
	3900 (8600)			-	-	•	-	-
	4715 (10400)			-	-	-	•	•
PAYLOAD <sup>3</sup>	kg (lb.)							
	795 (1755)			•	-	-	-	-
	860 (1900)			-	•	-	-	-
	605 (1340)			-	-	•	-	-
	655 (1455)			-	-	-	•	-
	630 (1395)			-	-	-	-	•
TURNING CIRCLE	m (ft.)							
	13.4 (44.0)			•	•	•	-	•
	14.9 (49.0)			-	-	-	•	-
FUEL CAPACITY	litres (gal)							
	100 (22)			•	•	•	•	•
FUEL CONSUMPTION RATING <sup>2</sup>								
	L/100 km	mpg						
ty/Highway/Combined	14.0/9.9/12.1	20/29/23		•	-	•	-	-
	15.3/10.9/13.3	18/26/21		-	•	-	•	•

● = Standard — = Not Available

<sup>1</sup>All Toyota vehicles shown in this brochure, have Supplemental Restraint Systems (SRS) which, depending on the model, may include driver and front passenger airbags, front knee airbags, front seat-mounted side airbags or side curtain airbags. For important safety information about the Supplemental Restraint System in a vehicle, please see the Owner's Manual or contact your local Toyota Dealer.

<sup>2</sup>These estimates are based on the Government of Canada's approved criteria and testing methods. The actual fuel consumption of this vehicle may vary. Refer to the Government of Canada publication EnerGuide Fuel Consumption Guide.

<sup>3</sup>Payload = Passengers, Equipment, Luggage and Cargo.

<sup>4</sup>Toyota tests certain phones for compatibility with Bluetooth® technology. Please see your Toyota Dealer for details. Note that the recommendation of Toyota is not a warranty of the performance for any phone and that some problems may occur with any type of handset based on the service coverage available in your area.

<sup>5</sup>The Toyota voice-activated DVD navigation system is designed to assist in locating an address or point of interest. Discrepancies may be encountered between the system and your actual location. Changes in street names, road closures, traffic flow or other road system changes may affect the accuracy of the mapping software. Rely upon your common sense to decide whether or not to follow a specified route. Detailed coverage not available in every city. Optional periodic geographic updates available at an additional cost. See your Navigation System Owner's Manual and your Toyota Dealer for further details.

Toyota Canada Inc. Every effort has been made to ensure the specifications and equipment shown are accurate based on information available at time of printing. In some cases, certain changes in standard equipment, options or product delays may occur which would not be reflected in this brochure. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota.ca – or your Toyota Dealer is your best source for up-to-date information.

Regular Cah | Double Cah | CrewMay