
Safety

Standard on all 2011 models are side curtain and front seat-mounted side airbags plus Vehicle Stability Control which identifies loss of traction and acts automatically to help maintain directional stability. Traction Control employs brake and throttle control to help reduce wheelspin and transfer torque to the wheel with the most traction. Should the wheels begin to lock-up during urgent braking, the standard 4-wheel Antilock Brake System helps maintain steering control. Electronic Brake-force Distribution optimizes the amount of brake force applied to each wheel, while Brake Assist applies additional brake pressure in the event of an emergency stop.

Quality is built right into the production process from the selection of raw materials, right down to the vehicle's final inspection. And it is the responsibility of everyone to ensure the highest quality possible on each and every vehicle. It's through Toyota's philosophy of 'Kaizen' that we are always looking for ways to continually improve. That's how we make things better.



throughout the long winter months.





SELECT FEATURES

- Driver and front passenger airbag, front seat-mounted side airbags, roll-sensing front and rear head/side curtain airbags Supplemental Restraint System.¹
- Standard 4-wheel Antilock Braking System with Electronic Brake-force Distribution and Brake Assist.
- Vehicle Stability Control, Traction Control.
- Active front headrests.
- Adjustable front shoulder anchors.
- Front seatbelt pre-tensioners with force limiters.

- 3-point front seatbelts: driver side Emergency Locking Retractors, front passenger side Automatic/Emergency Locking Retractors.
- 3-point rear seatbelts with Automatic/Emergency Locking Retractors.
- Child restraint tether anchors.
- Child protector rear door locks (Double Cab).
- Side-impact door beams.

Toyota Quality



THE HUMAN TOUCH. As impressive as the machinery is, the achievement of perfect fit and finish is also the result of continuous human touch for every step of the way.

TOYOTA CANADA COLD RESEARCH CENTRE.

Located in Timmins, Ontario, our teams test Toyota vehicles in actual Canadian winter conditions at our cold weather testing track to ensure that they remain dependable



For more information visit toyota.ca

2011 Colours







1E7 Silver Streak Mica^{A,E}







1G3 Magnetic Grey Metallic

3R3 Barcelona Red Metallic^{A,B} 4T3 Purite Mica^A



8P1 Speedway Blue^{A,B}

Interior colour options

^A Grey Fabric. ^B Grey Leather. Please see your Toyota Dealer for details.

New vehicle warranty summary NO DEDUCTIBLES – NO TRANSFER FEES

COMPREHENSIVE COVERAGE - 3 YEARS OR 60,000 KM This warranty includes 24 hour Roadside Assistance and other benefits, as well as coverage of repairs on any part of the vehicle that is defective in material or workmanship under normal use and maintenance. Different warranties apply to original tires.

POWERTRAIN COMPONENTS - 5 YEARS OR 100,000 KM This warranty covers repairs to powertrain components that are defective in material or workmanship under normal use and maintenance.

MAJOR EMISSION CONTROL COMPONENTS - 8 YEARS OR 130.000 KM This warrantu covers repairs to specified major emission components that are defective in material or workmanship under normal use and maintenance.

CORROSION PERFORATION - 5 YEARS UNLIMITED DISTANCE Any sheet metal found, under normal use, to have developed a perforation from corrosion due to defects in material or workmanship.



2011 Tacoma 4x4 Features

Access Cab Double Cab

	4-cyl	V6	V6 6M	V6 5A
INTERIOR				
AM/FM CD/MP3/WMA Player, Audio Auxiliary Input Jack,				
XM® Satellite Ready Antenna w/Prewire, 6-Speakers	٠	٠	٠	٠
Air Conditioning	٠	٠	٠	٠
Rear Seat Heater Ducts	-	-	•	٠
Fabric Seat Material, Fabric Door Trim	٠	٠	•	٠
Front Bucket Seats	٠	٠	•	٠
Driver & Front Passenger w/Recline, Fore/Aft Adjustments	٠	٠	•	٠
Driver Seat Lumbar Support Adjustments	-	-	٠	٠
Front Passenger Fold-Down Seat Back	-	-	٠	٠
Rear Jump Seats w/Fold-Up Rear Seat Cushions	٠	٠	-	-
60/40 Split Rear Bench Seat w/Fold-Down Seat Back	-	-	٠	٠
Front Seat Vertically Adjustable Headrests	٠	٠	-	-
All-Position Vertically Adjustable Headrests	-	-	٠	٠
Power Windows w/Driver Side Auto-Down	٠	٠	٠	٠
Power Door Locks	٠	٠	٠	٠
Tachometer, Water Temperature Gauge	٠	٠	٠	٠
4WD Indicator	٠	٠	٠	٠
4-Spoke Tilt, Telescopic Steering Wheel	٠	٠	٠	٠
Carpeting, Carpet Floor Mats	٠	٠	٠	٠
Digital Clock	٠	٠	٠	٠
Front Centre Console Box, Overhead Console Box	٠	٠	٠	٠
2nd Row Centre Console Box	٠	٠	-	-
Storage Under Rear Seat	٠	٠	٠	٠
Overhead Sunglass Storage	٠	٠	٠	٠
Front & Rear Cup Holders	٠	٠	٠	٠
Accessory Power Outlet (12v)	٠	٠	٠	٠
Door Map Pockets	٠	٠	٠	٠
Map Lamps	-	-	٠	٠
• = Standard \bigcirc = Optional $-$ = Not Available				

• = Standard \circ = Optional – = Not Available

	Access 4-cyl	Cab V6	Doubl V6 6M	e Cab V6 5A
SAFETY				
Dual-Stage Driver & Front Passenger Airbag Supplemental Restraint System (SRS) ¹	•	•	•	•
Front Seat-Mounted Side Airbags (SRS) ¹	٠	٠	٠	٠
Roll-Sensing Front & Rear Head/Side Curtain Airbags (SRS) ¹	٠	٠	٠	٠
Front Passenger Airbag Occupancy Classification Indicator	٠	٠	٠	٠
Front Seatbelt Pre-Tensioners & Force Limiters	٠	٠	٠	٠
All-Position 3-Point Lap & Shoulder Belts	٠	٠	٠	٠
Front Seatbelt Anchor Height Adjusters	٠	٠	٠	٠
Anchor Points for Child Restraint Seats	٠	٠	٠	٠
Child Protector Rear Door Locks	-	-	٠	٠
Active Front Headrests w/Whiplash Protection	٠	٠	٠	٠
Engine Immobilizer	٠	٠	٠	٠
Front Tow Hook	٠	٠	٠	٠
Assist Grips	٠	٠	٠	٠
Low Fuel, Low Oil Level Warning Indicators	٠	٠	٠	٠
Tire Pressure Monitoring System	٠	٠	٠	٠
EXTERIOR				
16" Styled Steel Wheels	٠	٠	٠	٠
6 Foot Cargo Bed	٠	٠	-	٠
5 Foot Cargo Bed	-	-	٠	-
Side Window Defoggers	٠	٠	٠	٠
Rear Step Bumper, Front & Rear Splash Guards	٠	٠	٠	٠
Fender Flares	٠	٠	٠	٠
Dual Manual Control Mirrors	٠	٠	-	-
Dual Power Adjustable Mirrors	-	-	٠	٠

2-Speed Wipers w/Mist Feature

Light Emitting Diode (LED) Rear Brake Lamps

Cargo Bed Tie-Downs, Tie-Down Cleats

Halogen Headlamps

Double Wall Cargo Bed

Removable Tailgate

Composite (SMC) Cargo Bed

			PACKAGES				
• • • • • • • • • • • • • • • • • • • •	• • • • •	 • •<	Access Cab SR5 Power Package: 16" Aluminum Alloy Wheels, Wheel Locks, Steering Wheel Audio Controls, Driver Seat Lumbar Support, Front Passenger Seat Fold-Down Seat Back, Sliding Rear Window, Rear Privacy Glass, Cruise Control, Chrome Rear Bumper, Chrome Grille, Coloured Front Bumper, Colour-Keyed Fender Flares, Power Adjustable Mirrors, Dual Vanity Mirrors, Variable Intermittent Wipers, Leather-Wrapped Steering Wheel & Shift Knob, Metallic Dash Accents, Keyless Entry, Illuminated Entry	0	0	_	_
•	•	• •	Access Cab TRD Off-Road Package:				
- • • • •	 • • • •	 • •<	Access Cab SR5 Power Package plus: Rear Differential Lock, Fuel Tank & Transfer Case Protector Plates, Increased Towing Capacity 2948 kg (6500 lb), P265/70R16 Raised White Letter Mud & Snow Tires, Transmission Cooler (Automatic Only), Engine Oil Cooler, Upgraded Alternator, Class IV Towing Hitch, 7-Pin Trailer Wire Harness, In-Dash 6-Disc CD Changer, Integrated XM® Satellite Radio, Front Sport Seats, Front Seat Back Pockets, Auto-Dimming Rear View Mirror w/Backup Camera, 400 Watt (115 Volt) Cargo Bed Power Outlet, Digital Compass, Outside Temperature Gauge, TRD Decals, Black Headlamp Surround, Fog Lamps, Key Lockout Protection, Active Traction				
٠	٠	- •	Control (A-TRAC)	-	0	-	-
- • • • •	- • • • •	 - + +<	Double Cab SR5 Power Package: 16" Aluminum Alloy Wheels, Wheel Locks, Steering Wheel Audio Controls, Sliding Rear Window, Rear Privacy Glass, Cruise Control, Chrome Rear Bumper, Chrome Grille, Coloured Front Bumper, Colour-Keyed Fender Flares, Auto-Dimming Rear View Mirror w/Backup Camera, Dual Vanity Mirrors, Variable Intermittent Wipers, Leather-Wrapped Steering Wheel & Shift Knob, Metallic Dash Accents, Keyless Entry, Illuminated Entry	_	_	0	0
•	•	• •	Double Cab TRD Sport Package:				
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	 • •<	Double Cab SR5 Power Package plus: Increased Towing Capacity 2857 kg (6300 lb) (Automatic Only)/2903 kg (6400 lb) (Manual Only), P265/65R17 Tires, 17" Aluminum Alloy Wheels, Transmission Cooler (Automatic Only), Engine Oil Cooler, Upgraded Alternator, Class IV Towing Hitch, 7-Pin Trailer Wire Harness, In-Dash 6-Disc CD Changer, Integrated XM® Satellite Radio, Front Sport Seats, Front Seat Back Pockets, Driver Seat Lumbar Support, Colour-Keyed Bumpers, Coloured: Mirrors, Grille, Door Handles; Hood Scoop, 400 Watt (115 Volt) Cargo Bed Power Outlet, Digital Compass, Outside Temperature Gauge, TRD Decals, Black Headlamp Surround,			0	0
			Fog Lamps	-	-	0	0
			Double Cab TRD Sport & Leather Package: Double Cab TRD Sport Package plus: Leather Seat Surfaces, Simulated Leather Door Trim, Heated Driver & Front Passenger Seats	_	_	0	0

MECHANICAL

Engine

Access Cab Double Cab 4-cyl V6 V6 6M V6 5A

2.7 Litre, 4-Cylinder, DOHC, w/intelligence (VVT-i), Seque Fuel Injection 4.0 Litre, V6, DOHC, 24-Valv (VVT-i), Sequential Multipor Engine Oil Cooler, Upgraded

Compression Ratio

9.6:1 10.0:1

Horsepower

159 hp (118 kW) @ 5200 rp 236 hp (176 kW) @ 5200 rp

Torque

180 lb.ft. (244 N.m.) @ 3800 266 lb.ft. (361 N.m.) @ 4000

Suspension

Front: Coil Spring, Independe w/Gas-Filled Shock A

Rear: Multi-Leaf Spring Su Outboard-Mounted (

Front/Rear: Bilstein Shock

Drivetrain

4WD Part Time, 2-Speed Tra Differential (ADD), One Touc Vehicle Stability Control (VS Automatic Limited Slip Diffe Active Traction Control (A-Fuel Tank & Transfer Case Pr

Transmission

5-Speed, Manual, Overdrive 4-Speed, Automatic, Overdri Transmission (Super ECT), Lo 6-Speed, Manual, Overdrive 5-Speed, Automatic, Overdriv Transmission (Super ECT), Lo

Brakes

Power-Assisted, Ventilated F Antilock Braking System (AB Distribution (EBD), Brake Ass

Steering

Rack & Pinion w/Variable Pov Tires

P245/75R16, All-Season Rad P265/70R16, Mud & Snow, Raised White Letter, Temporary Spare Tire P265/65R17, All-Season Radials, Temporary Spare Tire

12

2011 Tacoma 4x4 Specifications

	Acces: 4-cyl	s Cab V6	Doubl V6 6M	
, 16-Valve, Variable Valve Timing				
uential Multiport Electronic	•	_	_	_
lve, Variable Valve Timing w/intelligence				
ort Electronic Fuel Injection	-	•	•	٠
d Alternator	-	0	0	0
	٠	-	-	-
	-	•	٠	•
pm	٠	-	-	-
pm	-	•	•	•
00 rpm	•	-	-	-
00 rpm	-	•	•	•
dent, Double-Wishbone Suspension Absorbers & Stabilizer Bar				
uspension w/Staggered	•		•	-
Gas Shock Absorbers	•	•	•	•
Absorbers	•	•	•	•
ransfer Case, Automatic Disconnecting				
uch 4WD, Engine Undercover	٠	•	٠	•
SC), Traction Control (TRAC)	٠	٠	٠	٠
ferential	٠	٠	٠	•
TRAC), Rear Differential Lock,				
Protector Plates	-	0	-	-
e trive Super Electropically Controlled	•	-	-	-
lrive, Super Electronically Controlled Lock-Up Torque Converter	0	_	_	_
e	-	•	•	_
- Irive, Super Electronically Controlled				
Lock-Up Torque Converter	-	0	-	٠
Front Discs, Rear Drums,				
BS) w/Electronic Brake-force				
ssist (BA)	•	•	•	•
A				
ower Assist	•	•	•	•
adiale Tomporary Spare Tire	•	~	•	
adials, Temporary Spare Tire	-			-

- 0 - -

- - 0 0

		4-cyl	V6	V6 6M	V6 5A
DIMENSIONS	mm (in.)				
Length	5286 (208.1)	-	-	•	-
	5621 (221.3)	٠	٠	-	٠
Width	1895 (74.6)	٠	٠	٠	٠
Height (Unloaded)	1775 (69.9)	٠	٠	-	-
	1781 (70.1)	-	-	٠	٠
Cargo Bed Length	1866 (73.5)	٠	٠	-	٠
	1531 (60.3)	-	-	٠	-
Cargo Bed Width	1054 (41.5) (Between Wheel Wells)	٠	٠	٠	٠
Cargo Bed Depth	457 (18.0)	٠	٠	٠	٠
Wheelbase	3246 (127.8)	٠	٠	٠	-
	3570 (140.5)	-	-	-	٠
Track	Front: 1600 (63.0)	٠	٠	٠	٠
	Rear: 1610 (63.4)	٠	٠	٠	٠
Seating Capacity	4	٠	٠	-	-
	5	-	-	٠	٠
Headroom	Front: 1014 (39.9)	٠	٠	٠	٠
	Rear: 894 (35.2)	٠	٠	-	-
	Rear: 975 (38.4)	-	-	٠	٠
Legroom	Front: 1060 (41.7)	٠	٠	٠	٠
	Rear: 716 (28.2)	٠	٠	-	-
	Rear: 829 (32.6)	-	-	٠	٠
Shoulder Room	Front: 1466 (57.7)	٠	٠	٠	٠
	Rear: 1466 (57.7)	٠	٠	-	-
	Rear: 1506 (59.3)	-	-	٠	٠
Ground Clearance	240 (9.4)	٠	٠	٠	٠
Approach Angle	(degrees) 35	•	•	•	•
Departure Angle	(degrees)				

			Acces 4-cyl	s cab V6	V6 6M	e Cab V6 5A
CURB WEIGHT	kg (lb.)					
Manual	1794 (3955)		٠	-	-	-
	1834 (4045)		-	٠	-	-
	1873 (4130)		-	-	٠	-
Automatic	1803 (3975)		0	-	-	-
	1846 (4070)		-	0	-	-
	1900 (4190)		-	-	-	•
TOWING CAPACITY	kg (lb.)					
	1587 (3500)		٠	٠	٠	٠
PAYLOAD ³	kg (lb.)					
	590 (1300)		٠	-	-	-
	547 (1205)		-	٠	-	-
	544 (1200)		-	-	٠	-
	499(1100)		-	-	-	٠
TURNING CIRCLE	m (ft.)					
	13.2 (43.3)		٠	٠	٠	-
	14.2 (46.5)		-	-	-	٠
FUEL CAPACITY	litres (gal)					
	80 (17.6)		٠	٠	٠	٠
FUEL CONSUMPTION F						
	L/100 km mp	g (imperial gallon)				
City/Highway/Combined						
Manual	11.5/9.2/10.4	25/31/27	•	-	-	-
	14.7/10.8/12.9	19/26/22	-	•	٠	-
Automatic	13.3/9.8/11.7	21/29/24	-	0	-	٠
	11.6/8.8/10.3	24/32/27	0	-	-	-

Access Cab | Double Cab

2011 Tacoma 4x2 Features

INTERIOR AM/FM CD/MP3/WMA Player, Audio Auxiliary Input Jack, XM[®] Satellite Ready Antenna w/Prewire, 6-Speakers Air Conditioning Fabric Seat Material, Fabric Door Trim Front Bucket Seats Driver & Front Passenger w/Recline, Fore/Aft Adjustments Rear Jump Seats w/Fold-Up Seat Cushions Front Seat Vertically Adjustable Headrests Power Windows w/Driver Side Auto-Down Power Door Locks Tachometer, Water Temperature Gauge Passenger Vanity Mirror 4-Spoke Tilt, Telescopic Steering Wheel Carpeting, Carpet Floor Mats Digital Clock Front Centre Console Box, Overhead Console Box 2nd Row Centre Console Box Storage Under Rear Seat Overhead Sunglass Storage Front & Rear Cup Holders Accessory Power Outlet Door Map Pockets Map Lamps

● = Standard ○ = Optional

Access Cab

•

.

•

•

.

.

.

.

.

•

•

٠

•

•

•

Double Wall Cargo Bed

Removable Tailgate

Composite (SMC) Cargo Bed

SAFETY	
Dual-Stage Driver & Front Passenger Airbag Supplemental Restraint System (SRS) ¹	•
Front Seat-Mounted Side Airbags (SRS) ¹	٠
Roll-Sensing Front & Rear Head/Side Curtain Airbags (SRS)1	٠
Front Passenger Airbag Occupancy Classification Indicator	•
Front Seatbelt Pre-Tensioners & Force Limiters	٠
All-Position 3-Point Lap & Shoulder Belts	٠
Front Seatbelt Anchor Height Adjusters	٠
Anchor Points for Child Restraint Seats	٠
Active Front Headrests w/Whiplash Protection	٠
Engine Immobilizer	٠
Front Tow Hook	٠
Assist Grips	٠
Low Fuel, Low Oil Level Warning Indicators	٠
Tire Pressure Monitoring System	٠
EXTERIOR	
15" Styled Steel Wheels	٠
Side Window Defoggers	٠
Rear Step Bumper, Rear Splash Guards	٠
Dual Manual Control Mirrors	٠
2-Speed Wipers w/Mist Feature	٠
Halogen Headlamps	٠
Light Emitting Diode (LED) Rear Brake Lamps	٠
6-Foot Cargo Bed	٠
Cargo Bed Tie-Downs, Tie-Down Cleats	٠

Access Cab

•

٠

•

Access Cab SR5 Power Package:

PACKAGE

Driver Seat Lumbar Support, Front Passenger Seat Fold-Down Seat Back, Sliding Rear Window, Rear Privacy Glass, Cruise Control, Chrome Rear Bumper, Chrome Grille, Colour-Keyed Front Bumper, Power Adjustable Mirrors, Dual Vanity Mirrors, Variable Intermittent Wipers, Leather-Wrapped Steering Wheel & Shift Knob, Metallic Dash Accents, 400 Watt (115 Volt) Cargo Bed Power Outlet, Keyless Entry, Steering Wheel Audio Controls



MECHANICAL

Engine

Access Cab

2.7 Litre, 4-Cylinder, DOHC, Sequential Multiport Electro

Compression Ratio

9.6:1 Horsepower

159 hp (118 kW) @ 5200 rp

Torque 180 lb.ft. (244 N.m.) @ 380

Suspension

Front: Coil Spring, Indepen w/Gas-Filled Shock Rear: Multi-Leaf Spring Si

Drivetrain

Rear-Wheel Drive Vehicle Stability Control (VS Automatic Limited Slip Diff

Transmission

5-Speed, Manual, Overdrive 4-Speed, Automatic, Electro Lock-Up Torque Converter

Brakes

Power-Assisted, Ventilated w/Electronic Brake-force D

Steering

Rack & Pinion w/Variable Po Tires

P215/70R15, All-Season Ra

2011 Tacoma 4x2 Specifications

Access

		Cab
:+	IANICAL	
e		
	re, 4-Cylinder, DOHC, 16-Valve, Variable Valve Timing w/intelligence (VVT-i), ntial Multiport Electronic Fuel Injection	•
r	ession Ratio	
		•
p	ower	
hp	(118 kW) @ 5200 rpm	•
e		
lb	ft. (244 N.m.) @ 3800 rpm	٠
n	sion	
t:	Coil Spring, Independent, Double-Wishbone Suspension	
	w/Gas-Filled Shock Absorbers & Stabilizer Bar	•
	Multi-Leaf Spring Suspension w/Staggered Outboard-Mounted	
	Gas Shock Absorbers	•
	ain Vheel Drive	
		•
_	e Stability Control (VSC), Traction Control (TRAC)	-
	atic Limited Slip Differential	•
	ission ed, Manual, Overdrive	
-	ed, Automatic, Electronically Controlled Transmission (ECT), Overdrive,	-
	Jp Torque Converter	0
s	r - Transa - San	
	-Assisted, Ventilated Front Discs, Rear Drums, Antilock Braking System (ABS)	
ec	tronic Brake-force Distribution (EBD), Brake Assist (BA)	•
in	g	
8	Pinion w/Variable Power Assist	•
5/	70R15, All-Season Radials, Temporary Spare Tire	٠

		Access Cab
DIMENSIONS	mm (in.)	
Length	5286 (208.1)	•
Width	1835 (72.2)	•
Height (Unloaded)	1670 (65.7)	•
Cargo Bed Length	1866 (73.5)	•
Cargo Bed Width	1054 (41.5) (Between Wheel Wells)	•
Cargo Bed Depth	457 (18.0)	•
Wheelbase	3246 (127.8)	•
Track	Front: 1550 (61.0)	•
	Rear: 1550 (61.0)	•
Seating Capacity	4	•
Headroom	Front: 1014 (39.9)	٠
	Rear: 894 (35.2)	•
Legroom	Front: 1060 (41.7)	•
	Rear: 716 (28.2)	•
Shoulder Room	Front: 1466 (57.7)	•
	Rear: 1466 (57.7)	٠
Ground Clearance	206 (8.1)	•
Approach Angle	(degrees)	
	27	•
Departure Angle	(degrees) 20	•

			Access Cab
CURB WEIGHT	kg (lb.)		
Manual	1614 (3560)		•
Automatic	1624 (3580)		0
TOWING CAPACITY	kg (lb.)		
	1587 (3500)		٠
PAYLOAD ³	kg (lb.)		
	544 (1200)		٠
TURNING CIRCLE	m (ft.)		
	13.6 (44.6)		٠
FUEL CAPACITY	litres (gal)		
	80 (17.6)		٠
FUEL CONSUMPTION RA			
	L/100 km	mpg (imperial gallon)	
City/Highway/Combined			
Manual	10.0/7.7/8.9	28/37/32	•
Automatic	10.9/7.8/9.5	26/36/30	0

Toyota Canada Inc. Every effort has been made to ensure the specifications and equipment shown are accurate based on information available at time of printing. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be reflected in this brochure. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website **toyota.ca** – or your Toyota Dealer is your best source for up-to-date information.

¹All Toyota vehicles shown in this brochure, have Supplemental Restraint Systems (SRS) which, depending on the model, may include driver and front passenger airbags, a driver's knee airbag, front seat-mounted side airbags or side curtain airbags. For important safety information about the Supplemental Restraint System in a vehicle, please see the Owner's Manual or contact your local Toyota Dealer.

²These estimates are based on the Government of Canada's approved criteria and testing methods. The actual fuel consumption of this vehicle may vary. Refer to the Government of Canada publication EnerGuide Fuel Consumption Guide.

³Payload = Passengers, Equipment, Luggage and Cargo.

⁴Toyota tests certain phones for compatibility with Bluetooth technology. Some vehicles equipped with Bluetooth technology are available with bilingual capability. Note that the recommendation of Toyota is not a warranty of the performance for any phone and that some problems may occur with any type of handset based on the service coverage available in your area. Please see your Toyota Dealer for details.