

Updated: May 30

ENGINE		
Type, Materials	Gas: 2.4-litre 4-cylinder Turbo Hybrid: 2.5-litre 4-Cylinder Hybrid Hybrid MAX: 2.4-litre 4-cylinder Turbo Hybrid MAX	
Valve train	Gas: 16-valve D-4S injection engine with Dual Variable Valve Timing with intelligence (VVT-i) and Stop and Start Engine System	
	Hybrid: 16-valves (four-valve/cylinder)	
	Hybrid MAX: 16-valves (four-valve/cylinder), Dual	
	Overhead Camshafts (DOHC) with Dual VVT-i	
Displacement	Gas: 2,393 cm <sup>3</sup>	
	Hybrid: 2,487 cm <sup>3</sup>	
	Hybrid MAX: 2,393 cm <sup>3</sup>	
Bore x Stroke	Gas: 94.0 x 83.0 (mm)	
	Hybrid: 87.5 x 103.4 (mm)	
	Hybrid MAX: 94.0 x 83.0 (mm)	
Compression Ratio	Gas: 11.0:1	
	Hybrid: 14:1	
	Hybrid MAX: 11.0:1	
Horsepower <mark>(gas engine)</mark>	Gas: 265 hp @ 6,000 rpm	
	<b>Hybrid: <mark>187 hp</mark> @</b> 6,000 rpm	
	<b>Hybrid MAX: <mark>265 hp</mark> @</b> 6,000 rpm	
Torque <mark>(gas engine)</mark>	Gas: 310 lbft. @ 1,700-3,600 RPM	
	Hybrid: <mark>177 lb-ft @ 4,300-4,500 rpm</mark>	
	<b>Hybrid MAX</b> : <mark>332 lbft.</mark> @ 2,000- 3,000 RPM	
Ignition System	Toyota Direct Ignition (TDI)	
Fuel System	D-4S	
Recommended Fuel	87-octane unleaded or higher	
Emission Certification	SULEV 30	
Estimated Fuel Consumption*	Gas XLE AWD: 11.2 / 8.6 / 10.0 L/100 km	
(city/highway/combined)	Gas Limited AWD: 11.6 / 9.0 / 10.7 L/100 km	
	Hybrid XLE AWD: 6.6 / 7.4 / 7.0 L/100 km	



Hybrid Limited AWD: 6.6 / 7.4 / 7.0 L/100 km
Hybrid MAX Platinum AWD: 9.0 / 8.6 / 8.8 L/100 km

<sup>\*</sup>Estimated fuel consumption - Actual figures will vary. To be confirmed.

ELECTRIC MOTOR	0.45
Hybrid System Net Horsepower	<mark>245</mark> combined net hp
Hybrid MAX Net Horsepower	362 combined net hp
Туре	Permanent Magnet Synchronous
BATTERY PACK	
Туре	NiMH
Capacity [3hr] (Ahr)	Hybrid: 5.0 Ah
	Hybrid MAX: 5.0 Ah
Nominal Voltage	Hybrid: 259 V
	Hybrid MAX: 288 V
System Voltage	Hybrid: 650 V
	Hybrid MAX: 288 V
DRIVETRAIN	
Layout	Gas: Dynamic Torque Control All-Wheel Drive (AWD)
	Hybrid: Electronic On-Demand All-Wheel Drive (AWD)
	Hybrid MAX: Full-time Electronic All-Wheel Drive (AWD)
Transmission Type	Gas: Direct Shift 8-speed Electronically Controlled Automatic Transmission
	<b>Hybrid:</b> Electronically controlled Continuously Variable Transmission (ECVT)
	Hybrid MAX: Direct Shift 6 speed Automatic Transmission
Gear Ratios (8AT)	1st - 5.519
	2nd – 3.184
	3rd – 2.050
	4th – 1.491
	5th – 1.234



	6th – 1.000
	7th - 0.800
	8th – 0.673
	Reverse - 4.220
Gear Ratios (6-speed)	1st- 4.474
	2nd – 2.517
	3rd – 1.560
	4th – 1.143
	5th - 0.850
	6th – 0.671
	Reverse – 3.196

CHASSIS AND	CHASSIS AND BODY		
Suspension	- Front	Independent MacPherson strut suspension with stabilizer bar	
	- Rear	AWD: Multi-link suspension with stabilizer bar	
Stabilizer bar	Diameter	Front: 27.5 mm (gas) or 28.6 mm (HV)	
		Rear: 19 mm (gas) or <mark>16</mark> mm (HV)	
Steering Type		Electric Power Steering (EPS); electric power-assisted rack-and-pinion	
- Turns (lock-t	co-lock)	2.9	
- Turning Circ	le (curb-to-curb)	5.8 m	
Brakes	- Front Type	Ventilated disc	
	- Front Diameter	13.38 in.	
	- Rear Type	Ventilated disc	
	- Rear Diameter	13.3 in.	
`- Parking		Electronic Parking Brake	
Anti-lock Brak	e System (ABS)	Standard	
Wheels and Tires		XLE: 18" Aluminum Wheel with all season tires Limited" 20" Aluminum wheel with all season tires Platinum" 20" Aluminum wheel with all season tires	
Spare Tire/Wh	neel	Temporary	



EXTERIOR DIMENSIONS		
Wheelbase	116.1 in.	
Overall Length	201.4 in.	
Overall Width	78.3 in. (w/o mirrors)	
Overall Height (with antenna)	70.1 in.	
Ground Clearance	8.0 in.	

INTERIOR DIMENSIONS			
Seating Capacity		7 or 8	
Headroom w/ pand	Headroom w/ panoramic moonroof		
-Frc	ont	40 in.	
-Sec	cond	38.5 in.	
-Thi	ird	37.2 in.	
Headroom w/out p	panoramic moonroof		
-Frc	ont	41.5 in.	
-Sec	cond	40.2 in.	
-Thi	ird	37.2 in.	
Legroom			
- Fro	ont	41.7 in.	
- Se	econd	39.5 in.	
- Th	nird	33.5 in.	
Shoulder Room	Shoulder Room		
- Fro	ont	60.2 in.	
- Se	econd	58.8 in.	
- Th	nird	57.5 in.	
Hip Room			
- Fro	ont	56.5 in.	
- Se	econd	57.0 in.	



#Toyota #GrandHighlander

- Third	45.7 in.	
Cargo Volume		
- Behind front seats	97.5 cu. ft.	
- Behind second row seats	57.9 cu. ft.	
-All seats up	20.6 cu. ft.	
EPA Passenger Volume	149.0 cu. ft. (Panoramic Moonroof)	
	153.3 cu. ft. (Normal roof)	
EPA Class	Midsize SUV	

WEIGHTS AND CAPACITIES	
Curb Weight (FWD/AWD)	XLE AWD: 4,455 lbs.
	Limited AWD: 4,575 lbs.
	XLE Hybrid AWD: 4,575 lbs.
	Limited Hybrid AWD: 4,710 lbs.
	Platinum Hybrid MAX AWD: 4,920 lb
GVWR	XLE/Limited AWD: 6,030 lbs.
(FWD/AWD)	XLE Hybrid AWD: 6,085 lbs.
	Limited Hybrid AWD: 6,125 lbs.
	Platinum Hybrid MAX AWD: 6,340 lbs.
Max Towing Capacity	Hybrid: 3,500 lbs.
	Gas/Hybrid MAX: 5,000 lbs.
Maximum Tongue Weight (10% of Tow Rating)	Hybrid: 350 lbs
(AWD)	Gas/Hybrid MAX: 500 lbs
Fuel Capacity	65 L (Hybrid/Hybrid MAX) / 67.5 L (Gas)
Engine Oil	SAE 0W-16; 4.5 L with oil filter change

#### **AVAILABLE EXTERIOR COLOURS**

- Storm Cloud
- Wind Chill Pearl\*
- Ruby Flare pearl
- Midnight Black Metallic
- Blueprint
- Coastal Cream
- Celestial Silver Metallic



#Toyota #GrandHighlander

#### **BASIC LIMITED WARRANTY COVERAGE**

- 3-year/60,000km Basic
- 5-year/100,000km Powertrain
- 8-year/160,000km Hybrid-Related Component Coverage
- 10-year/240,000km Hybrid Battery