



2026 IS 350 AWD Product Information

Ext. Dimensions		IS 350 AWD
Overall Length	Mm (in.)	4720 (185.83)
Overall Width	Mm (in.)	1840 (72.4)
Overall Height	Mm (in.)	1440 (56.69)
Wheelbase	Mm (in.)	2800 (110.2)
Front tread	Mm (in.)	1580 (62.2)
Rear tread	Mm (in.)	1575 (62.01) on F SPORT Design 1605 (63.19) on other models
Front overhang	Mm (in.)	885 (34.84)
Rear overhang	Mm (in.)	1035 (40.75)
Ground Clearance	Mm (in.)	140(5.51)
Coefficient of drag	Cd	0.29

Int. Dimensions		IS 350 AWD
Effective Head Room	Front mm (in.)	970(38.19)
	Rear mm (in.)	936(36.85)
Effective Leg Room	Front mm (in.)	1138(44.8)
	Rear mm (in.)	818(32.2)
Shoulder Room	Front mm (in.)	1421(55.94)
	Rear mm (in.)	1357(53.43)
Hip Room	Front mm (in.)	1379.6(54.31)
	Rear mm (in.)	1372.6(54.04)
Interior	Length mm (in.)	1945 (76.57)
	Width mm (in.)	1500 (59.06)
	Height mm (in.)	1115 (43.90)
Couple distance	Front to rear	913 (35.94)
Seating capacity	Person	5

Weights and Capacities		IS 350 AWD
Curb Weight	Kg (lb)	1775 (3,913)
Weight Distribution	(F/ R)	55/45%
GVWR	Kg (lb)	2,190(4,830)
Passenger Volume	Total (cu. ft.)	90.2
SAE Trunk Space	Total (cu. ft.)	10.8
Fuel tank	L	66

Engine		IS 350 AWD
Engine Type		2GR-FKS
No. of Cyl. & arrangement		6 cylinders, V type
Intake System		Natural Aspiration
Valve Mechanism		24-valve DOHC, VVT-iW (intake), VVT-i (exhaust)
Bore x Stroke	mm (in.)	94.0 x 83.0 (3.70 x 3.27)
Displacement	cm ³ (cu. in.)	3456 (210.90)
Compression Ratio		11.8 : 1
Fuel Injection System		EFI, D-4S



2026 IS 350 AWD Product Information

Fuel Type		Gasoline
Recommended Octane		Premium
Max. Output	hp @ rpm	311 @ 6,600
Max. Torque	lb.-ft. @ rpm	280 @ 4,800
Fuel consumption (L/100 km)	City	12.2
	Highway	9.0
	Combined	10.8

Performance		IS 350 AWD
Top Speed	Km/h	230
0-100 km/h	s	6.2

Chassis and Body		IS 350 AWD
Transmission	Code Name	A760H
	Type	6-speed Automatic
Transaxle Gear Ratio	1 st	3.520
	2 nd	2.042
	3 rd	1.400
	4 th	1.000
	5 th	0.713
	6 th	0.582
	7 th	-
	8 th	-
	Reverse	3.168
Differential Gear Ratio (Front / Rear)		3.769 / 3.769
Brake Type	Front	Ventilated Disc
	Rear	Ventilated Disc
Brake Size	Front mm (in.) Diameter/Thickness	334/30 (13.15/1.18)
	Rear mm (in.) Diameter/Thickness	297/18 (11.69/0.71)
Parking Brake	Type	Electronic Parking Brake
Suspension Type	Front	Double Wishbone
	Rear	Multi-link
Steering	Type	EPS
	Lock to lock	2.75
Minimum Turning Radius	Curb to curb m (ft)	5.4 (17.7)
	Wall to wall m (ft)	-

Wheels/Tires per grade	Wheels	Tires (FR/RR)
IS 350 AWD F SPORT Design	19" F SPORT Alloy Wheels	P235/40R19 / P235/40R19
IS 350 AWD F SPORT 2	19" F SPORT Alloy Wheels	P235/40R19 / P265/35R19
IS 350 AWD F SPORT 3	19" Forged BBS Alloys Wheels	P235/40R19 / P265/35R19
IS 350 AWD Special Appearance Pack.	19" Forged BBS Alloys Wheels	P235/40R19 / P265/35R19



2026 IS 350 AWD Product Information

Colours
Ultra White*
Hakugin Matte White*
Cloudburst Gray*
Iridium*
Wind
Caviar
Infrared*
Ultrasonic Blue 2.0*

*Additional Cost

Basic Limited Warranty Coverage
<ul style="list-style-type: none">• 3-year/60,000km Basic
<ul style="list-style-type: none">• 6-year/110,000km Powertrain, whichever comes first.