



2026 LC 500/LC Convertible Product Information

Exterior Dimensions		LC 500	LC 500 Convertible
Overall	Length mm (in.)	4760(187.4)	4760(187.4)
	Width w/o mirrors mm (in.)	1920(75.59)	1920(75.59)
	Height unloaded mm (in.)	1345(52.95)	1345(52.95)
Wheelbase	mm (in.)	2870(112.99)	2870(112.99)
Tread Width	Front mm (in.)	1630(64.17)	1630(64.17)
	Rear mm (in.)	1635(64.37)	1635(64.37)
Ground Clearance	mm (in.)	133(5.24)	133(5.24)

Interior Dimensions		LC 500	LC 500 Convertible
Seating Capacity	Persons	4	4
Headroom	Front w/ glass roof mm (in.)	943.8(37.16)	943.4(36.75)
	Front w/ CFRP roof mm (in.)	943.4(36.75)	
	Rear mm (in.)	818.2(32.21)	818.2(32.21)
Legroom	Front mm (in.)	1066.9(42.0)	1066.9(42.0)
	Rear mm (in.)	825.7(32.5)	712.0(28.0)
Shoulder Room	Front mm (in.)	1438.7(56.54)	1438.7(56.54)
	Rear mm (in.)	1245.2(48.94)	1173.48(46.2)
Hip Room	Front mm (in.)	1377.4(54.13)	1377.4(54.13)
	Rear mm (in.)	112.4(43.72)	1112.4(43.72)
Passenger Volume	m ³ (cu. ft.)	2.433(85.929)	2.128(75.2)
	w/ CFRP roof m ³ (cu. ft.)	2.411(85.154)	
Cargo Space (SAE)	m ³ (cu. ft.)	0.153(5.408)	0.0962(3.4)

Weight and Capacities		LC 500	LC 500 Convertible
Curb Weight	KG(lbs.)	1,970(4,340)	2,040(4,500)
Gross Vehicle Weight	KG(lbs.)	2,385(5,260)	2,476(5,460)
Weight Distribution	Front/rear	54/46	52.5/47.5
Fuel Capacity	L(Gal.)	82(21.7)	83(22)

Engine		LC 500	LC 500 Convertible
Type		V8, aluminum block and cylinder heads	V6, aluminum block and cylinder heads
Valvetrain		32-valve DOHC w/ Dual VVT- i	32-valve DOHC w/ Dual VVT- i
Displacement	Cu. in. (cm ³)	303.2 (4,969)	303.2 (4,969)
Bore x Stroke	mm(in.)	94.0 X 89.5 (3.70 X 3.52)	94.0 X 89.5 (3.70 X 3.52)
Compression Ratio		12.3 : 1	12.3 : 1
Fuel Injection System		EFI, D-4S	EFI, D-4S
Fuel Type		91 Octane or Higher	91 Octane or Higher
Horsepower	KW/rpm (HP@rpm)	351/7100 (471 HP @ 7,100)	351/7100 (471 HP @ 7,100)
Torque (gas engine)	NM/rpm (lb.-ft.@rpm)	540/4800 (398 lb. -ft @ 4,800)	540/4800 (398 lb. -ft @ 4,800)



2026 LC 500/LC Convertible Product Information

Drivetrain		LC 500	LC 500 Convertible
Layout		Front engine, rear-wheel drive	Front engine, rear-wheel drive
Transmission	Type	10-speed Sport Direct Shift automatic with paddle shift and manual mode	10-speed Sport Direct Shift automatic with paddle shift and manual mode
Gear Ratios	1st	4.923	4.023
	2nd	3.153	3.153
	3rd	2.349	2.349
	4th	1.879	1.879
	5th	1.462	1.462
	6th	1.193	1.193
	7th	1.000	1.000
	8th	0.792	0.792
	9th	0.640	0.640
	10th	0.598	0.598
	Rev.	5.169	5.169
Differential Ratio		2.937	2.937

Performance		LC 500	LC 500 Convertible
Acceleration	0-100 km/h (0-60 mph) seconds	4.7(4.4)	4.7(4.4)
Top Track Speed ²	Km/h (mph)	270(168)	270(168)
Estimated Fuel Economy ¹	City/Hwy/Combined L/100kms	15.2/9.7/12.7	15.2/9.7/12.7
Coefficient of Drag		0.33	0.33

Chassis and Body		LC 500	LC 500 Convertible
Body/Frame		Unitized steel body with steel front and rear subframes	Unitized steel body with steel front and rear subframes
Suspension Type	Front	Double-Joint Multilink	Double-Joint Multilink
	Rear	Multilink	Multilink
Steering Gear Type		Vehicle speed-sensing coaxial rack and pinion, power assist	Vehicle speed-sensing coaxial rack and pinion, power assist
Power Steering Type		EPS	EPS
Lock to Lock		2.6	2.6
Curb to curb	m(ft.)	5.4(17.72)	5.4(17.72)
	w/ Active Rear Steering m (ft.)	5.3(17.39)	5.3(17.39)
Brakes	Type	Anti-lock Braking System (ABS); Electronic Brake	Anti-lock Braking System (ABS); Electronic Brake



2026 LC 500/LC Convertible Product Information

		force Distribution (EBD); Brake Assist (BA)	force Distribution (EBD); Brake Assist (BA)
	Front	400mm (15.7-in) ventilated rotors with six- piston opposed aluminum calipers, high-friction brake pads	400 mm (15.7-in) ventilated rotors with six piston opposed aluminum calipers, high-friction brake pads
	Rear	359mm (14.1 in) ventilated rotors with four-piston opposed aluminum calipers, high friction brake pads	359mm (14.1-in) ventilated rotors with four-piston opposed aluminum calipers, high friction brake pads

Colours

Ultra White*

Cloudburst Grey*

Iridium*

Ultrasonic Blue Mica 2.0*

Nori Green Pearl

Wind

Infrared*

Caviar

Smoke Matte Gray

*Additional Cost

Basic Limited Warranty Coverage

- 3-year/60,000km Basic
- 6-year/110,000km Powertrain, whichever comes first.