



2026 NX Product Information

Ext. Dimensions		NX 350	NX 350h	NX 450h+
Overall Length	Mm (in.)	4660(183.4)		
Overall Width	Mm (in.)	1865(73.4)		
Overall Height	Mm (in.)	1680(66.1) F SPORT: 1670(65.7)		
Wheelbase	Mm (in.)	2690(105.9)		
Front tread	Mm (in.)	1606(63.2)		
Rear tread	Mm (in.)	1626(64.0)		
Front overhang	Mm (in.)	1007(39.65)		
Rear overhang	Mm (in.)	963(37.91)		
Ground Clearance	Mm (in.)	205 (8.07) F SPORT: 195(7.68)		
Angle of Approach	Degrees	16		
Angle of Departure	Degrees	25		
Coefficient of Drag	Cd	0.35 (18" wheels) 0.36 (20" wheels)		

Int. Dimensions		NX 350	NX 350h	NX 450h+
Effective Head Room	Front Mm (in.)	Moonroof: 942.3 (37.1) / Panoramic Roof: 942.9(37.12)		
	Rear Mm (in.)	Moonroof: 967.6 (38.09) / Panoramic Roof: 949 (37.36)		
Effective Leg Room	Front Mm (in.)	1040.5 (40.96)		
	Rear Mm (in.)	916.6 (36.09)		
Shoulder Room	Front Mm (in.)	1429.9 (56.3)		
	Rear Mm (in.)	1371.4 (53.99)		
Hip Room	Front Mm (in.)	1430.6 (56.32)		
	Rear Mm (in.)	1333.6 (52.5)		
Interior	Length (in.)	1805 (71.06)		
	Width (in.)	1542 (60.71)		
	Height (in.)	w/ Moonroof: 1183(46.57) w/ Panoramic Moonroof: 1171(46.1)		
Couple distance	Front to Rear Mm	944.9 (37.2)		
Seating capacity	Person	5		

Weights and Capacities		NX 350	NX 350h	NX 450h+
Curb weight	Kg (lb)	1760 (3,880)	1800 (3,968)	1990 (4,189)
GVR	Kg (lb)	2370 (5,225)	2380 (5,245)	2540 (5,600)
Cargo space	All Seats Up	22.7 cu.ft.		
	Max. Cargo	46.9 cu.ft.		
Towing capacity	Kg (lb)	910 (2,000)		
Fuel tank	L	55		



2026 NX Product Information

Engine		NX 350	NX 350h	NX 450h+
Engine Type		T24A-FTS	A25A-FXS	A25A-FXS
No. of Cyl. & Arrangement		4-cylinder, In-line	4-cylinder, In-line	4-cylinder, In-line
Valve Mechanism		16-Valve, DOHC, Chain Drive	16-Valve, DOHC, Chain Drive	16-Valve, DOHC, Chain Drive
Bore x Stroke	mm (in.)	87.5 x 99.5 (3.44 x 3.92)		
Displacement	cm ³ (cu.in.)	2393 (146.03)	2487 (151.77)	2487 (151.77)
Compression Ratio		11	14	14
Fuel Injection System		SFI (D-4ST)	SFI (D-4S)	SFI (D-4S)
Fuel Type		Gasoline	Gasoline	Gasoline
Recommended Octane		Premium	Premium	Premium
Intake System		Turbo Charged	Nat. Aspiration	Nat. Aspiration
Max. Output	hp/rpm	275/6000	189/6000	181/6000
Max. Torque	ft/lbs/rpm	317/1700-3600	179/4300-4500	169/3600-3700
Fuel consumption (L/100 km)	City	10.5	5.7	6.3
	Highway	8.5	6.4	7.1
	Combined	9.8	6.0	6.6
	PHEV mode	-	-	2.8 Le/100 km

Motor Generator		NX 350	NX 350h	NX 450h+
Motor Type	Front	N/A	Permanent Magnet Synchronous Motor	
	Rear	N/A	Permanent Magnet Synchronous Motor	
Max output	Front kW	N/A	134	134
	Rear kW	N/A	40	40
Max torque	Front Nm	N/A	270	270
	Rear Nm	N/A	121	121

Hybrid Battery Pack		NX 350	NX 350h	NX 450h+
Battery Type		N/A	Lithium-ion	Lithium-ion
Nominal Voltage	V	N/A	259	355.2
Number of Battery Cells		N/A	70	96
Battery Capacity	Ah	N/A	N/A	51
Total Battery Power	kWh	N/A	N/A	18.1
Performance		NX 350	NX 350h	NX 450h+
Max output	kW	N/A	179	227
	Hp	N/A	240	304



2026 NX Product Information

Top Speed	Km/h	200	200	200
0-100 km/h	S	7	7.7	6.3

Chassis and Body		NX 350	NX 350h	NX 450h+
Transmission	Code Name	UA81E	P810 / Q610	P810 / Q610
	Type	8-speed Direct Shift Automatic	CVT	CVT
Transmission Gear Ratio	1st	5.52	-	-
	2nd	3.18	-	-
	3rd	2.05	-	-
	4th	1.49	-	-
	5th	1.23	-	-
	6th	1.00	-	-
	7th	0.80	-	-
	8th	0.67	-	-
	Reverse	4.22	-	-
Motor Reduction Ratio		10.78	-	10.78
Differential Gear Ratio (FR / RR)		3.33 / 2.28	3.64 / 10.78	3.64 / 10.78
Brake Type	Front	Ventilated Disc		
	Rear	Ventilated Disc		
Brake Size	Front mm (in.)	328 (12.91) / 28 (1.1)		
	Rear mm (in.)	317 (12.48) / 18 (0.71)		
Parking Brake	Type	Electronic Parking Brake		
Suspension Type	Front	MacPherson Strut		
	Rear	Double-wishbone		
Steering	Type	Rack & Pinion		
	Lock to lock	2.35		
Turning Radius m (ft.)	Curb to curb	5.8 (19.0)		
	Wall to wall	6.2 (20.3)		

Colours
Ultra White*
Atomic Silver
Cloudburst Grey*
Caviar
Infrared*
Nori Green Pearl
Grecian Water
Copper Crest*
Ultrasonic Blue Mica*

*Additional Cost

Basic Limited Warranty Coverage
3-year/60,000km Basic 6-year/110,000km Powertrain, whichever comes first. 8-year/160,000km Hybrid-Related Component Coverage 10-year/240,000km Hybrid Battery