TOYOTA

2026 Crown Signia Product Information

#ToyotaCrownSignia

ENGINE	
Hybrid System Net Horsepower	240 combined net hp
Type, Materials	2.5-Liter Dynamic Force 4-Cylinder with EV Mode
Valve train	16-valves (four-valve/cylinder), Dual Overhead Camshafts (DOHC) with Variable Valve Timing-intelligent system by Electric motor (VVT-iE) and VVT-i.
Displacement	2,487 cc / 151.8 cu. in.
Bore x Stroke	87.5 x 103.4 mm
Compression Ratio	14.0:1
Horsepower	188 hp @ 6,000 rpm (gas engine only)
Torque	178 lb.-ft. @ 4,300-4,500 rpm (gas engine only)
Ignition System	Toyota Direct Ignition
Fuel System	D-4S
0-100 km/h	7.1 s
Recommended Fuel	87-octane unleaded or higher
Emission Certification	SULEV
Estimated Fuel Consumption* (city/highway/combined)	6.0 / 6.3 / 6.2 L/100 km

**Manufacturer Estimated fuel consumptions - Actual figures will vary.*

ELECTRIC MOTOR	
Type	Permanent Magnet Synchronous
Torque	Front: 134 kW/ 199 lb.-ft. Rear: 40 kW/ 89 lb.- ft
BATTERY PACK	
Type	Bipolar Nickel-Metal Hydride
Nominal Voltage	230.4V
Capacity [3hr] (Ahr)	5.0 Ah

TOYOTA

2026 Crown Signia Product Information

#ToyotaCrownSignia

DRIVETRAIN	
Layout	Electronic On-Demand All-Wheel Drive
Transmission Type	Electronically controlled Continuously Variable Transmission (ECVT)
Final Drive Gear Ratio	Front: 3.412 Rear: 10.781

CHASSIS AND BODY		
Suspension	- Front	Independent MacPherson strut front suspension with stabilizer bar
	- Rear	Multi-link rear suspension with stabilizer bar
	- Stabilizer Bar Dia. (front/rear)	26.5 mm (hollow)/21.0 mm (hollow)
Steering	- Type	Electric Power Steering (EPS); rack parallel-type electric power steering system
	- Overall Ratio	13.8:1
	- Turns (lock-to-lock)	2.57
	- Turning Circle Diameter (curb-to-curb)	12 m
Brakes	- Front Type	Power-assisted Ventilated Disc
	- Front Diameter	328mm/12.9 in.
	- Rear Type	Power-assisted Ventilated Disc
	- Rear Diameter	318mm/12.5 in.
	- Parking	Electronic Parking Brake
Anti-lock Brake System (ABS)		Standard
Wheels and Tires		21-in. Alloy Wheels and 235/45R21 tires (Limited)
Spare Tire/Wheel		Tire Repair Kit

TOYOTA

2026 Crown Signia Product Information

#ToyotaCrownSignia

EXTERIOR DIMENSIONS	
Wheelbase	2,850 mm (112.2 in.)
Overall Length	4,930 mm (194.1 in.)
Overall Width	1,880 mm (74.0 in.)
Overall Height (w/antenna)	1,630 mm (64.2 in.) (w/Panoramic Roof)
Running Minimum Ground Clearance	161 mm (6.3 in.)
Approach/Departure Angle	15.2/21.4 degrees
Overhang Front/Rear	1,000 / 1,080 mm

INTERIOR DIMENSIONS	
Seating Capacity	5
Passenger Vol.	2730 L (with / Panoramic Roof)
Headroom	
- Front	958 mm / 37.7 in. (with Panoramic Roof)
- Rear	968 mm / 38.1 in. (with Panoramic Roof)
Legroom	
- Front	1,069 mm / 42.1 in.
- Rear	942 mm / 37.1 in.
Shoulder Room	
- Front	1,448 mm / 57.0 in.
- Rear	1,397 mm / 55.0 in.
Hip Room	
- Front	1,389 mm / 54.7 in.
- Rear	1,212 mm / 47.7 in.
Cargo Volume	
- Rear Seats Up	702 L / 24.8 ft.^{3} (with Panoramic Roof)
- Rear Seats Down	1,872 L / 66.1 ft.^{3} (with Panoramic Roof)
Length Behind Rear Seat	810 mm / 31.9. in.

TOYOTA

2026 Crown Signia Product Information

#ToyotaCrownSignia

Length Behind Front Seat - Rear Seats Down	2,019 mm / 79.5 in. (6.625 ft.)

WEIGHTS AND CAPACITIES

Curb Weight	1,909 kg / 4,210 lbs.
GVWR	2,350 kg / 5,180 lbs.
Fuel Capacity	55 L
Engine Oil	SAE OW-8; 4.3 L with oil filter change

AVAILABLE EXTERIOR COLORS

- Oxygen White*
- Storm Cloud
- Black
- Oxygen White with Black Roof*
- Storm Cloud with Black Roof*
- Bronze Age with Black Roof*
- Finish Line Red with Black Roof*

*Extra-Cost Colour

BASIC LIMITED WARRANTY COVERAGE

Basic Limited Warranty

- 3-year/60,000 km Comprehensive
- 5-year/100,000 km Powertrain
- 5-year/unlimited-mileage Corrosion Perforation
- 8-year/160,000 km Hybrid-Related Component Coverage
- 10-year/240,000 km Hybrid Battery