### 2009 Tundra 4x4 Features

		Regu	ılar Cab	SR5		Doub SR5	le Cab	LTD	Crev SR5	wMax LTD
	Std	Std	Long	Long	Std	Std	Long	Std	Short	
INTERIOR	4.7 L	5.7 L	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L	5.7 L	5.7
AM/FM CD/MP3/WMA Player, 4-Speakers, Audio Auxiliary Input Jack	•	•	•	•	-	-	-	-	-	-
AM/FM CD/MP3/WMA Player, 6-Speakers, Audio Auxiliary Input Jack	-	-	-	-	•	•	•	-	•	-
JBL, AM/FM MP3/WMA/CD 6-Disc Changer, Audio Auxiliary Input Jack, Bluetooth® Capability, Steering Wheel Audio Controls										•
10-Speakers			_	_	_	_		•	_	_
12-Speakers	-	-	-	-	_	_	-	•	_	-
Dual Zone Climate Control, Cabin Air Filter	•	•	•	•	•	•	•	_	•	_
Dual Zone Automatic Climate Control, Cabin Air Filter	_	<u> </u>	_	<u> </u>	_	_	_	_	_	-
Rear Seat Heat Ducts	_	_	_	-	•	•	•	•	•	•
Full Fabric Seat Material	•	•		-	•	_	_	_	_	_
Premium Cloth Seat Material	•	•	•	-	-	-	-	_	-	_
Leather Seat Surfaces	-	_	-	•	•	•		-	_	-
	-	-	•	-	-	-	_	•		
40/20/40 Split Front Bench Seat	•	•	•	•	•	•		-	-	_
Driver & Front Passenger Bucket Seats  Driver Seat Recline	•	-	-	-	-	-	•	•	•	•
						•	_	_		_
Front Passenger Seat Recline	•	•	•	•	•		•	_	•	_
Driver Seat Cushion-Height Adjustment	-	_	-	-	•	•	-	_	•	-
Front Passenger Seat Fold-Down Seat Back	-	_	_	•	_	_	-	_	_	_
Power 8-Way Driver Seat	_	_	-	-	_	-	•	-	_	_
Power 10-Way Heated Driver Seat & Power 4-Way Heated Front Passenger Seat, Power Lumbar Support	-	-	-	-	-	-	-	•	-	•
Driver Seat Memory System w/Linked Mirrors	-	-	-	-	-	-	-	-	-	•
60/40 Split Rear Bench Seat w/Fold-Up Seat Cushions	-	-	-	-	•	•	•	•	-	-
60/40 Split Rear Bench Seat w/Slide, Recline, Fold-Down Centre Armrest,										
Fold-Down Seat Back	-	-	-	-	-	-	-	-	•	•
All-Position Vertically Adjustable Headrests	•	•	•	•	•	•	•	•	•	•
Power Door Locks	-	-	-	•	•	•	•	•	•	•
Power Windows w/Driver Side Auto Down	-	-	-	•	•	•	•	•	•	•
Fixed Rear Window	•	•	•	-	•	•	-	-	-	-
Sliding Rear Window	-	-	-	•	-	-	•	•	-	-
Power Vertical Sliding Rear Window	-	-	-	-	-	-	-	-	•	•
Voltmeter, Water Temperature Gauge, Dual Trip Odometer, Tachometer	•	•	•	•	•	•	•	•	•	•
Outside Temperature Gauge, Automatic Transmission Oil Temperature Gauge	-	-	-	•	•	•	•	•	•	•
Optitron Gauges, Multi-Information Display	-	-	-	-	-	-	-	•	-	•
Dual Vanity Mirrors	-	-	-	-	•	•	•	-	•	-
Dual Illuminated Vanity Mirrors, Auto-Dimming Rear View Mirror w/Digital Compass	-	-	-	-	-	-	-	•	-	•
Fabric Door Trim	-	-	-	-	•	•	•	-	•	-
Simulated Leather Door Trim	-	-	-	-	-	-	-	•	-	•
Leather-Wrapped Steering Wheel & Shift Knob	-	-	-	-	-	-	-	•	-	•
4-Spoke Tilt Steering Wheel	•	•	•	•	•	•	-	-	•	-
4-Spoke Tilt, Telescopic Steering Wheel	-	-	-	-	-	-	•	•	-	-
4-Spoke Power Tilt & Telescopic Steering Wheel	-	-	-	-	-	-	-	-	-	•
Vinyl Floor, All-Season Floor Mats	•	•	•	-	-	-	-	-	-	-
Carpeting, Carpet Floor Mats					•	•	•	•	•	•

	Pogular Cab										
		Regi DLX	ular Cab	SR5		Doub SR5	le Cab	LTD	Crev SR5	vMax LTD	
	Std	Std	Long	Long	Std	Std	Long	Std	Short	Short	
CONVENIENCE	4.7 L	5.7 L	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L	5.7 L	5.7 L	
Cruise Control	•	•	•	•	•	•	•	•	•	•	
Digital Clock	-	-	-	•	•	•	•	•	•	•	
Front Console Storage Box w/Lid, Overhead Console Box	-	-	-	-	-	-	•	•	-	•	
Driver & Front Passenger Seat Back Pockets	-	-	-	-	-	-	•	•	•	•	
Under Rear Seat Storage Trays	_	-	-	-	-	_	•	_	-	-	
Integrated Garage Door Opener	-	-	-	-	-	-	-	•	-	•	
Overhead Sunglass Storage	•	•	•	•	•	•	•	•	•	•	
Front Cupholders	•	•	•	•	-	-	-	-	-	-	
Front & Rear Cupholders	-	-	-	-	•	•	•	•	•	•	
Retained Accessory Power	-	-	-	-	•	•	•	•	•	•	
Accessory Power Outlet	•	•	•	•	•	•	•	•	•	•	
Lighting Package, Door Courtesy Lamps, Glove Box Lamp, Map Lamps	-	-	-	-	•	•	•	•	•	•	
Illuminated Entry	-	-	-	-	•	•	•	•	•	•	
Keyless Entry	-	-	-	•	•	•	•	•	•	•	
SAFETY											
Dual-Stage Driver & Passenger Airbag Supplemental Restraint System (SRS) <sup>1</sup>	•	•	•	•	•	•	•	•	•	•	
Front Passenger Airbag Off Switch	•	•	•	•	-	-	-	-	-	-	
Front Passenger Airbag Occupancy Classification Indicator	•	•	•	•	•	•	•	•	•	•	
Front Seat-Mounted Side Airbags (SRS) <sup>1</sup>	•	•	•	•	•	•	•	•	•	•	
Roll-Sensing Front Head/Side Curtain Airbags (SRS) <sup>1</sup>	•	•	•	•	-	-	-	-	-	-	
Roll-Sensing Front & Rear Head/Side Curtain Airbags (SRS) <sup>1</sup>	-	-	-	-	•	•	•	•	•	•	
Head/Side Curtain Airbags off Switch	•	•	•	•	•	•	•	•	•	•	
All-Position 3-Point Lap & Shoulder Belts	•	•	•	•	•	•	•	•	•	•	
Adjustable "B" Pillar Shoulder Belt Anchors	•	•	•	•	•	•	•	•	•	•	
Front Tow Hook	•	•	•	•	•	•	•	•	•	•	
Vehicle Anti-Theft System	-	-	-	-	-	-	-	•	-	•	
Engine Immobilizer	•	•	•	•	•	•	•	•	•	•	
Front & Rear Clearance Sonar	-	-	-	-	-	-	-	•	-	•	
Automatic Transmission Oil Temperature, Low Fuel, Low Washer Fluid & Door Ajar Warning Indicators											
<u>-</u>	_	_	_	_	_	_	_	_	_	_	
Tire Pressure Monitoring System	•	•	•	•	•	•	•	•	•	•	

#### ● = Standard — = Not Available

### 2009 Tundra 4x4 Features

		,	ular Cab				ole Cab		Crev	
	Std	DLX Std	Long	SR5 Long	Std	SR5 Std	Long	LTD Std	SR5 Short	LT Sho
EXTERIOR	4.7 L	5.7 L	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L	5.7 L	5.7
18" Styled Steel Wheels	•	•	•	-	•	•	-	-	•	_
18" Aluminum Alloy Wheels, Wheel Locks	-	-	-	•	-	-	•	-	-	_
20" Aluminum Alloy Wheels, Wheel Locks	-	-	-	-	-	-	-	•	-	•
Long Bed (8.1 feet)	-	-	•	•	-	-	•	-	-	-
Standard Bed (6.5 feet)	•	•	-	-	•	•	-	•	-	-
Short Bed (5.5 feet)	-	-	-	-	-	-	-	-	•	•
High Solar Energy Absorbing Window Glass	•	•	•	•	•	•	•	•	•	•
Rear Window Privacy Glass	-	-	-	-	-	-	•	•	•	•
Electric Rear Window Defroster	-	-	-	-	-	-	-	-	•	•
Foldable Mirrors	•	•	•	•	•	•	•	-	•	_
Dual Heated, Power Remote-Control Mirrors	•	•	•	-	•	•	-	•	-	•
Power Folding Mirrors	-	-	_	-	-	-	-	•	-	•
Auto-Dimming Side View Mirrors w/Integrated Signal Lamps	-	-	_	-	-	-	-	•	-	•
Extendable Power Heated Mirrors w/Turn Signals	-	-	_	•	-	-	•	-	•	-
Front & Rear Splash Guards	•	•	•	•	•	•	•	•	•	•
4 Pin/7 Pin Trailer Wire Harness, Electronic Trailer Brake Control Connector,										
Class IV Weight Distribution Trailer Hitch	•	•	•	•	•	•	•	•	•	•
Black Door & Tailgate Handles	•	•	•	•	•	•	•	-	•	-
Black Steel Rear Bumper, Black Grille	•	•	•	-	-	-	-	-	-	-
Chrome Grille, Chrome Rear Bumper	-	-	-	•	•	•	•	•	•	•
Coloured Front Bumper	-	-	-	-	•	•	•	•	•	•
Black Resin Front Bumper	•	•	•	•	-	-	-	-	-	_
Chrome Mirrors & Chrome Finished Door Handles	-	-	-	-	-	-	-	•	-	•
Power Tilt/Slide Moonroof w/Sunshade	-	-	-	-	-	-	-	-	-	•
2-Speed Wipers	•	•	•	-	-	-	-	-	-	-
Variable Intermittent Wipers	-	-	-	•	•	•	•	•	•	•
Windshield Wiper De-Icer	•	•	•	•	•	•	•	•	•	•
Automatic Headlamp System	-	-	-	-	-	-	-	•	-	•
Automatic Headlamp Cancel Function	•	•	•	•	•	•	•	-	•	_
Fog Lamps	-	-	-	-	-	-	-	•	-	•
Bed Rail Caps	•	•	•	•	•	•	•	•	•	•
Easy Lower & Lift Tailgate, Cargo Bed Tie-Downs & Removable Locking Tailgate	•	•	•	•	•	•	•	•	•	•
Bed Rail System, Tie-Down Cleats (set of 4)	-	-	-	•	-	-	-	•	•	•
SR5 Badges	-	-	-	•	•	•	•	-	•	_
LTD Badges	_	_	_	_	-	-	_	•	_	•

● = Standard ○ = Optional — = Not Available

	Regu	ılar Cab			Doub	le Cab		Crev	wMax
Std	DLX Std	Long	SR5 Long	Std	SR5 Std			SR5 Short	
4.7 L	5.7 L	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L	5.7 L	5.7 L

- - 0 - - - - - -

- - - - 0 0 - - - -

- - - - 0 0 - - - -

- 0 - - - - - - -

17

#### Regular Cab SR5 Package:

Bed Rail System, Tie-Down Cleats, Power Door Locks & Windows, Keyless Entry, Sliding Rear Window, Premium Cloth Seats, Front Passenger Seat Fold-Down Seat Back, Coloured Resin & Chrome Front Bumper, Chrome Grille & Rear Bumper, Variable Intermittent Wipers, Carpeting, 18" Aluminum Alloy Wheels w/Wheel Locks, P275/65R18 Tires, Digital Clock, Automatic Transmission Oil Temperature Gauge, Outside Temperature Gauge, SR5 Badges

#### Regular Cab TRD Off-Road Package:

Bed Rail System, Tie-Down Cleats, Keyless Entry, Power Door Locks & Windows,
Console Mounted Gate-Type Shifter Lever, Telescopic Steering Wheel, 6-Disc
CD Changer, Front Bucket Seats w/Recline, Sliding Rear Window, Front Console Box,
Auto-Dimming Rear View Mirror w/Digital Compass, Carpeting, Vehicle Anti-Theft
System, Integrated Garage Door Opener, Coloured Resin & Chrome Front Bumper,
Chrome Grille & Rear Bumper, Variable Intermittent Wipers, 18" Aluminum Alloy
Wheels w/Wheel Locks, P275/65R18 Raised White Letter Tires, Full Size Spare
w/Steel Wheel, Front & Rear Bilstein Shock Absorbers, Outside Temperature
Gauge, SRS Badges, Fog Lamps, Map Lamps, TRD Decals

#### Double Cab Upgrade Package:

Front Bucket Seats, 8-Way Power Driver Seat, Console Mounted Gate-Type Shifter Lever, Telescopic Steering Wheel, Rear Privacy Glass, Overhead Console Box, Front Seat Back Pockets, Sliding Rear Window, Front Console Box, 18" Aluminum Alloy Wheels w/Wheel Locks, P275/65R18 Tires, Accessory Meter, Under Rear Seat Storage Trays

#### Double Cab TRD Off-Road Package:

Double Cab Upgrade Package plus: Front & Rear Bilstein Shock Absorbers,
Bed Rail System, Tie-Down Cleats, Front & Rear Clearance Sonar, 6-Disc
CD Changer, Integrated Garage Door Opener, Auto-Dimming Rear View Mirror
w/Digital Compass, Fog Lamps, Map Lamps, Vehicle Anti-Theft System,
Raised White Letter Tires, Unique Alloy Wheels, TRD Decals

#### Double Cab Long Bed Upgrade Package:

#### Regular Cab i-FORCE ST Edition:

TRD Off-Road Package Plus: Front & Rear Clearance Sonar, Coloured Bumpers, Coloured Grille, 20" Aluminum Alloy Wheels, P275/55R20 Tires, Stainless Steel Side Step Bars, Bed Liner, Special Edition Shift Knob & Badges, Scuff Plates, Aluminum Sport Pedals w/Rubber Inserts, Dash Kit-Trim, Tri-Fold Hard Tonneau Cover, TRD Dual Exhaust System, Special Edition Decals, (Delete Raised White Letter Tires, Front Bilstein Shock Absorbers, Rear Bilstein

#### Double Cab i-FORCE ST Edition:

Shock Absorbers, Towing Equipment, TRD Decals)

TRD Off-Road Package Plus: 20" Aluminum Alloy Wheels, P275/55R20 Tires,
Coloured Grille, Special Edition Badging, Stainless Steel Side Step Bars,
Bed Liner, Scuff Plates, Aluminum Sport Pedals w/Rubber Inserts, Dash Kit-Trim,
Tri-Fold Hard Tonneau Cover, TRD Dual Exhaust System, Special Edition Decals,
[Delete Raised White Letter Tires, Front Bilstein Shock Absorbers, Rear Bilstein
Shock Absorbers, Towing Equipment, TRD Decals]

16

## 2009 Tundra 4x4 Features

	Regular Cab					Doub	le Cab		Crev	vMax
	Std	DLX Std	Long	SR5 Long	Std	SR5 Std	Long	LTD Std	SR5 Short	LTD Short
PACKAGES (cont'd)	4.7 L	5.7 L	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L	5.7 L	5.7 L
5-Passenger Package:										
Bed Rail System, Tie-Down Cleats, Console Mounted Gate-Type Shifter Lever,										
Front Bucket Seats, Power 8-way Driver Seat, Tilt & Telescopic Steering Wheel,										
Overhead Console Box, Front Console Storage Box w/Lid, 18" Aluminum Alloy										
Wheels w/Wheel Locks, P275/65R18 Tires, Accessory Meter	-	-	-	-	-	-	-	-	0	-
CREWMAX TRD Off-Road Package:										
5-Passenger Package plus: Front & Rear Bilstein Shock Absorbers, P275/65R18										
Raised White Letter Tires, Unique Alloy Wheels, 6-Disc CD Changer, Integrated										
Garage Door Opener, Front & Rear Clearance Sonar, Power Moonroof										
Auto-Dimming Rear View Mirror w/Digital Compass, Vehicle Anti-Theft System,										
Fog Lamps, Map Lamps, TRD Decals	-	-	-	-	-	-	-	-	0	-
Double Cab LTD & CREWMAX LTD Navigation Package:										
DVD-Based Navigation System <sup>5</sup> w/Backup Camera, 7.0" LCD Display,										
4-Disc CD Changer (Delete 6-Disc CD Changer)	-	-	-	-	-	-	-	0	-	0

<sup>● =</sup> Standard ○ = Optional — = Not Available

## 2009 Tundra 4x4 Specifications

2005 Tallala +X+ Specifica										
			ular Cab	cor			le Cab	1.70		wMax
	Std	DLX Std	Long	SR5 Long	Std	SR5 Std	Long	LTD Std	SR5 Short	LTD Short
MECHANICAL	4.7 L	5.7 L	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L	5.7 L	5.7 L
Engine 4.7 Litre, i-FORCE V8, DOHC, 32-Valve, Variable Valve Timing w/Intelligence [VVT-i], Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler	•	_	•	_	•	_	_	_	_	_
5.7 Litre, i-FORCE V8, DOHC, 32-Valve, Dual Variable Valve Timing w/Intelligence (Dual VVT-i), Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler	_	•	_	•	_	•	•	•	•	•
Compression Ratio										
10.0:1	•	-	•	-	•	-	-	-	-	-
10.2:1	-	•	-	•	-	•	•	•	•	•
Horsepower										
276 hp (206 kW) @ 5,400 rpm	•	-	•	-	•	-	-	-	-	-
381 hp (284 kW) @ 5,600 rpm	-	•	-	•	-	•	•	•	•	•
Torque										
313 lb.ft. (424 N.m.) @ 3,400 rpm	•	-	•	-	•	-	-	-	-	-
401 lb.ft. (544 N.m.) @ 3,600 rpm	-	•	_	•	-	•	•	•	•	•
Suspension Front: Double-Wishbone, Gas-Filled Shock Absorbers, Coil Springs, Stabilizer Bar										
Rear: Heavy-Duty Multi-Leaf Springs, Bias Mounted Gas-Filled Shock Absorbers	•	•	_	•	_	_	•	•	_	_
Front/Rear: Bilstein Shock Absorbers	•	·		_	0	0	Ť	Ť	0	_
Drivetrain										
Automatic Limited Slip Rear Differential, Vehicle Stability Control (VSC) w/Active Traction Control (A-TRAC), One-Touch 4WD, Engine and Transfer Case Protector Plates, Engine Undercover	•	•	•		•	•	•	•	•	•
Transmission										
5-Speed, Automatic, Overdrive, Super Electronically Controlled Transmission (Super ECT)	•	_	•	_	•	_	_	_	_	_
6-Speed, Automatic, Overdrive, Super Electronically Controlled Transmission [Super ECT]	_	•	_	•	_	•	•	•	•	•
Sequential Shift Mode, Lock-Up Torque Converter	•	•	•	•	•	•	•	•	•	•
Transmission Cooler, Automatic Transmission Oil Warmer	•	•	•	•	•	•	•	•	•	•
Column Shifter	•	•	•	•	•	•	•	-	-	-
Console Mounted Gate-Type Shifter	0	0	-	-	0	0	-	•	•	•
Brakes										
Power-Assisted, 4-Wheel Ventilated Discs, Antilock Braking System (ABS) w/Electronic Brake-force Distribution (EBD), Brake Assist (BA)	•	•	•	•	•	•	•	•	•	•
Steering										
Rack & Pinion w/Variable Power Assist	•	•	•	•	•	•	•	•	•	•
Tires										
P255/70R18, All-Season Radials, Full-Size Spare w/Steel Wheel	•	•	•	-	•	•	-	-	•	-
P275/65R18, All-Season Radials, Full-Size Spare w/Steel Wheel	-	-	0	•	0	0	•	-	0	-
P275/65R18, Raised White Letter Tires, Full-Size Spare w/Steel Wheel	0	0	-	-	0	0	-	-	0	-
P275/55R20, All-Season Radials, Full-Size Spare w/Steel Wheel	-	0	-	-	-	0	-	•	-	•

# 2009 Tundra 4x4 Specifications

			Reg DLX	ular Cab	SR5		Doub SR5	le Cab	LTD	Crei SR5	wMax LTD
		Std	Std	Long	Long	Std	Std	Long	Std	Short	Short
DIMENSIONS	mm (in.)	4.7 L	5.7 L	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L	5.7 L	5.7 L
Length	5329 (209.8)	•	•	-	-	-	-	-	-	_	-
	5810 (228.7)		-	•	•	•	•	-	•	•	•
	6290 (247.6)	_	-	-	-	-	-	•	-	-	-
Width	2030 (79.9)	•	•	•	•	•	•	•	•	•	•
Height (Unloaded)	1935 (76.2)	•	•	•	•	-	-	•	-	-	-
	1940 (76.3)	-	-	-	-	•	•	-	•	•	•
Cargo Bed Length	2480 (97.6)	-	-	•	•	-	-	•	-	-	-
	2000 (78.7)	•	•	-	-	•	•	-	•	-	-
	1695 (66.7)	-	-	-	-	-	-	-	-	•	•
Cargo Bed Width (Between Wheel Wells)	1270 (50.0)	•	•	•	•	•	•	•	•	•	•
Cargo Bed Depth	564 (22.2)	•	•	•	•	•	•	•	•	•	•
Wheelbase	3220 (126.8)	•	•	-	-	-	-	-	-	-	-
	3700 (145.6)	_	-	•	•	•	•	-	•	•	•
	4180 (164.5)	_	-	-	-	-	-	•	-	-	-
Track	Front: 1725 (67.9)	•	•	•	•	•	•	•	•	•	•
	Rear: 1725 (67.9)	•	•	•	•	•	•	•	•	•	•
Seating Capacity	3	•	•	•	•	-	-	-	-	-	
	5	-	-	-	-	-	-	-	•	0	•
	6	_	-	-	-	•	•	•	-	•	-
Headroom	Front: 1021 (40.2)	•	•	•	•	•	•	•	•	•	•
	Rear: 983 (38.7)	_	-	-	-	•	•	•	•	•	•
Legroom	Front: 1079 [42.5]	•	•	•	•	•	•	•	•	•	•
-	Rear: 882 (34.7)	_	-	-	-	•	•	•	•	_	-
	Rear: 1131 (44.5)	_	-	-	_	-	-	-	-	•	•
Shoulder Room	Front: 1692 (66.6)	•	•	•	•	•	•	•	•	•	•
	Rear: 1668 (65.7)	_	_	_	_	•	•	•	•	_	_
	Rear: 1662 (65.4)	_	_	_	_	_	_	_	_	•	•
Ground Clearance	275 (10.8)	•	•	•	_	•	_	_	_	_	_
	270 (10.6)	_	_	_	•	_	•	•	_	•	_
	265 (10.4)	_	_	_	_	_	_	_	•	_	•
Approach Angle (degrees)	28	•	•	•	•	_	_	_	_	_	•
3.44.5	29	_	_	_	_	•	•	•	•	•	_
Departure Angle (degrees)	27	•	•	_	_	_	_	_	_	_	_
· · · · · · · · · · · · · · · · · · ·	21	_	_	•	•	_	_	_	_	_	_
	20	_	_	_	_	•	•	•	•	•	•

<sup>● =</sup> Standard ○ = Optional — = Not Available

				Requ	lar Cab			Doubl	le Cab		Crew	/Max
			Std	DLX Std	Long	SR5 Long	Std	SR5 Std	Long	LTD Std	SR5 Short	LTD
GROSS VEHICLE WEIGHT	kg (lb.)		4.7 L	5.7 L	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L	5.7 L	5.7 L
	3084 (6800)		•	•	_	_	_	_	_	_	_	_
	3175 (7000)		_	_	•	_	_	_	_	_	_	_
	3125 (6900)		_	_	_	_	•	_	_	_	_	_
	3220 (7100)		_	_	_	_	_	•	_	•	_	_
	3265 (7200)		_	_	_	•	_	_	•	_	•	•
CURB WEIGHT	kg (lb.)											
CORD WEIGHT												
	2322 (5120)		•	-	-	-	-	-	-	-	-	_
	2347 (5175)		_		_	_	_	_	_	_	_	_
	2384 (5255)		_	-	•	-	_	-	-	-	-	_
	2419 (5335)		_	-	_	•	_	-	-	-	-	_
	2513 (5540)		_	_	_	-	•	-	_	-	-	_
	2535 (5590)		_	_	_	_	_	•	-	_	_	_
	2596 (5725)		_	_	_	_	_	_	_	•		_
	2542 (5605)			_	_	_	_		_		•	_
	2605 (5745) 2612 (5760)		_	-	_	-	_	_	_	_	_	-
TOWING CAPACITY									_		_	_
TOWING CAPACITY	kg (lb.)											
	3720 (8200)		•	_	-	-	-	_	-	-	-	
	3670 (8100)		-	-	•	-	-	-	-	-	-	_
	4760 (10500)		-	-	-	•	_	_	-	-	-	_
	3535 (7800)		-	-	_	_	•	_	_	-	_	_
	4670 (10300)		-	-	_	_	_	•	-	•	-	_
	4625 (10200)		_	_	_	_	_		•	_	_	_
	4581 (10100)		_	•	_	_	_		_	_	•	•
PAYLOAD <sup>3</sup>	m³ (cu.ft.)											
	720 (1595)		•	-	-	-	-	-	-	-	-	_
	690 (1530)		-	•	-	-	-	-	-	-	-	_
	765 (1690)		-	-	•	-	-	-	-	-	-	_
	830 (1835)		-	-	-	•	-	-	-	-	-	_
	565 (1255)		-	-	-	-	•	-	-	-	-	_
	630 (1395)		-	-	-	-	-	•	-	-	-	_
	615 (1365)		-	-	-	-	-	-	•	-	-	_
	645 (1430)		-	-	-	-	-	-	-	•	-	_
	600 (1325)		-	-	-	-	-	-	-	-	•	_
	590 (1310)		-	-	-	-	-	-	-	-	-	•
TURNING CIRCLE	m (ft.)											
	12.0 (39.2)		•	•	-	-	-	-	-	-	-	-
	13.42 (44.0)		-	-	•	•	•	•	-	•	•	•
	14.92 (49.0)		-	-	-	-	-	-	•	-	-	-
FUEL CAPACITY	litres (gal)											
	100 (22)		•	•	•	•	•	•	•	•	•	•
FUEL CONSUMPTION RATING <sup>2</sup>	L/100 km	mpg										
City/Highway/Combined	15.9/12.2/14.2	18/23/20	•	_	•	_	•	_	_	_	_	_
ggimag, combined	16.6/11.7/14.4	17/24/20	_	•	_	•	_	•	•	•	•	•
	20.0/11.//17.7	-//-//-0							_	_		

18

### 2009 Tundra 4x2 Features

	DLX	SR5	S	nle Cab R5	SR5	
INTERIOR	Long 4.7 L	Long 5.7 L	Std 4.7 L	Long 5.7 L		
AM/FM CD/MP3/WMA Player, 4-Speakers, Audio Auxiliary Input Jack	•	•	-	_	_	
AM/FM CD/MP3/WMA Player, 6-Speakers, Audio Auxiliary Input Jack	_	_	•	•	•	_
JBL, AM/FM MP3/WMA/CD Changer, 12-Speakers, Audio Auxiliary Input Jack,						_
Sluetooth®4 Capability, Steering Wheel Audio Controls, Antenna Pole	_	_	_	_	_	
Dual Zone Climate Control, Cabin Air Filter	•	•	•	•	•	
Dual Zone Automatic Climate Control, Cabin Air Filter	-	-	-	-	-	
Rear Seat Heater Ducts	-	-	•	•	•	
Driver & Front Passenger Bucket Seats	_	-	-	•	•	
40/20/40 Split Front Bench Seat	•	•	•	-	_	
	•	_	_	_	_	_
Premium Cloth Seat Material	_	•	•	•	•	_
_eather Seat Surfaces	_	_	_	_	_	
Power 8-Way Driver Seat, Power Lumbar Support	_	-	_	•	•	
Power Heated 10-Way Driver Seat & Power Heated 4-Way Front Passenger Seat,						_
Power Lumbar Support	-	-	-	-	-	
Driver Seat Memory System w/Linked Mirrors	-	-	-	-	-	
Driver & Front Passenger Seats Recline	•	•	•	•	•	
Front Passenger Seat Fold-Down Seatback	_	•	-	-	-	
Driver Seat Cushion-Height Adjustment	_	-	•	•	•	
50/40 Split Rear Bench Seat w/Fold-Up Rear Seat Cushions	-	-	•	•	-	
50/40 Split Rear Bench Seat w/Slide, Recline, Fold-Down Seat Back & Centre Armrest	-	-	-	-	•	
All-Position Vertically Adjustable Headrests	•	•	•	•	•	
Power Door Locks	_	•	•	•	•	
Front Power Windows w/Driver Side Auto Down	_	•	-	-	-	_
Power Windows w/Driver Side Auto Down	_	-	•	•	•	
Accessory Meter	-	-	-	•	•	
Fixed Rear Window	•	-	•	-	-	
Sliding Rear Window	_	•	-	•	-	
Power Vertical Sliding Rear Window	_	-	-	-	•	
Voltmeter, Water Temperature Gauge, Dual Trip Odometer	•	•	•	•	•	
Tachometer	•	•	•	•	•	_
Outside Temperature Gauge, Automatic Transmission Oil Temperature Gauge	_	•	•	•	•	
Optitron Gauges, Multi-Information Display	_	-	-	-	-	
Dual Vanity Mirrors	_	_	•	•	•	_
Dual Illuminated Vanity Mirrors, Auto-Dimming Rear View Mirror w/Digital Compass	_	_	_	_	_	
4-Spoke Tilt Steering Wheel	•	•	•	_	_	_
4-Spoke Tilt, Telescopic Steering Wheel	_	-	_	•	•	
+-Spoke Power Tilt, Telescopic Steering Wheel	_	_	_	_	_	_
_eather-Wrapped Steering Wheel & Shift Knob	_	_	_	_	_	
Fabric Door Trim			•	•	•	-

	Regula			le Cab	Crew	
	DLX Long	SR5 Long	S Std	R5 Long	SR5 Short	LTD Short
INTERIOR (cont'd)	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L
Simulated Leather Door Trim	-	-	-	-	-	•
Fabric Headliner	•	•	•	•	•	•
Vinyl Floor, All-Season Floor Mats	•	-	-	-	-	-
Carpeting, Carpet Floor Mats	-	•	•	•	•	•
CONVENIENCE						
Cruise Control	•	•	•	•	•	•
Digital Clock	-	•	•	•	•	•
Door Courtesy Lamps, Map Lamps, Glove Box Lamp	-	-	•	•	•	•
Front Console Storage Box w/Lid, Overhead Console Box	-	-	-	•	•	•
Driver & Front Passenger Seat Back Pockets	-	-	-	•	•	•
Under Rear Seat Storage Trays	-	-	-	•	-	-
Overhead Sunglass Storage	•	•	•	•	•	•
Integrated Garage Door Opener	_	-	-	-	-	•
Front Cupholders	•	•	-	-	-	-
Front & Rear Cupholders	-	-	•	•	•	•
Retained Accessory Power	-	-	•	•	•	•
Accessory Power Outlet	•	•	•	•	•	•
Illuminated Entry	-	-	•	•	•	•
Keyless Entry		•	•	•	•	•
Glove Box Lock	•	•	•	•	•	•

### 2009 Tundra 4x2 Features

		lar Cab		ole Cab		vMax
	DLX Long	SR5 Long	S Std	R5 Long	SR5 Short	LTE
SAFETY		5.7 L				
Dual-Stage Driver & Passenger Airbag Supplemental Restraint System (SRS) <sup>1</sup>	•	•	•	•	•	•
Front Passenger Airbag Off Switch	•	•	-	-	-	-
Front Passenger Airbag Occupancy Classification Indicator	•	•	•	•	•	•
Front Seat-Mounted Side Airbags (SRS)¹	•	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags (SRS)¹	•	•	-	-	-	-
Roll-Sensing Front & Rear Head/Side Curtain Airbags (SRS)¹	-	-	•	•	•	•
Head/Side Curtain Airbags Off Switch	•	•	•	•	•	•
All-Position 3-Point Lap & Shoulder Belts	•	•	•	•	•	•
Adjustable "B" Pillar Shoulder Belt Anchors	•	•	•	•	•	•
Vehicle Anti-Theft System	-	-	-	-	-	•
Engine Immobilizer	•	•	•	•	•	•
Front Tow Hook	•	•	•	•	•	•
Front & Rear Clearance Sonar	-	-	-	-	-	•
Automatic Transmission Oil Temperature, Low Fuel, Low Washer Fluid & Door Ajar Warning Indicators	•	•	•	•	•	•
Tire Pressure Monitoring System	•	•	•	•	•	•

● = Standard — = Not Available

<sup>1</sup>Airbag Notice: The 2009 Tundra features a driver & front passenger airbag Supplemental Restraint System (SRS) which usually activates in a front-end collision of sufficient magnitude to inflate the bags. In moderate frontal collisions, the airbags may not inflate, in a rear or side collision the airbags are designed not to inflate, so the primary protection is provided by the lap and shoulder belt system. The 2009 Tundra also features a front seat-mounted side airbag and a roll-sensing head/side curtain airbag Supplemental Restraint System (SRS) which usually activate only in a side-impact collision of sufficient magnitude to inflate the bags. Seatbelts must be worn at all times by all occupants

<sup>2</sup>These estimates are based on the Government of Canada's approved criteria and testing methods. The actual fuel consumption of this vehicle may vary. Refer to the Government of Canada publication EnerGuide Fuel Consumption Guide.

<sup>3</sup>Payload = Passengers, Equipment, Luggage and Cargo.

\*Toyota tests certain phones for compatibility with Bluetooth® technology. Please see your Toyota Dealer for details. Note that the recommendation of Toyota is not a warranty of the performance for any phone and that some problems may occur with any type of handset based on the service coverage available in your area.

<sup>5</sup>The Toyota voice-activated DVD navigation system is designed to assist in locating an address or point of interest. Discrepancies may be encountered between the system and your actual location. Changes in street names, road closures, traffic flow or other road system changes may affect the accuracy of the mapping software. Rely upon your common sense to decide whether or not to follow a specified route. Detailed coverage not available in every city. Optional periodic geographic updates available at an additional cost. See your Navigation System Owner's Manual and your Toyota Dealer for further details.

Toyota Canada Inc. Every effort has been made to ensure the specifications and equipment shown are accurate based on information available at time of printing. In some cases, certain changes in standard equipment, options or product delays may occur which would not be reflected in this brochure. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website **toyota.ca** – or your Toyota Dealer is your best source for up-to-date information.

	DLX	SR5 Long	S	nle Cab R5 Long	SR5	wMax LTD Shor
EXTERIOR	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 [
18" Styled Steel Wheels	•	-	•	-	-	_
18" Aluminum Alloy Wheels, Wheel Locks	-	•	-	•	•	-
20" Aluminum Alloy Wheels, Wheel Locks	-	-	-	-	-	•
Long Bed (8.1 feet)	•	•	-	•	-	-
Standard Bed (6.5 feet)	-	-	•	-	-	-
Short Bed (5.5 feet)	-	-	-	-	•	•
High Solar Energy Absorbing Window Glass	•	•	•	•	•	•
Rear Window Privacy Glass	-	-	-	•	•	•
Front & Rear Splash Guards	•	•	•	•	•	•
Power Tilt/Slide Moonroof w/Sunshade	-	-	-	-	-	•
Black Door & Tailgate Handles	•	•	•	•	•	-
Black Steel Rear Bumper, Black Grille	•	-	-	-	-	-
Black Resin & Chrome Front Bumper	•	-	-	-	-	-
Coloured Resin & Chrome Front Bumper	-	•	-	-	-	-
Chrome Grille, Chrome Rear Bumper	-	•	•	•	•	•
Coloured Front Bumper	-	-	•	•	•	•
Chrome Mirrors & Chrome Finished Door Handles	-	-	-	-	-	•
4 Pin/7 Pin Trailer Wire Harness, Electronic Trailer Brake Control Connector,						
Class IV Weight Distribution Trailer Hitch	•	•	•	•	•	•
Foldable Mirrors	•	•	•	•	•	-
Dual Heated, Power Remote-Control Mirrors	•	-	•	-	-	
Extendable Power Heated Mirrors w/Turn Signals		•	-	•	•	-
Power Folding Heated Auto-Dimming Side View Mirrors w/Integrated Signal Lamps & Memory System	-	-	-	-	-	•
2-Speed Wipers	•	-	-	-	-	_
Variable Intermittent Wipers	-	•	•	•	•	•
Windshield Wiper De-Icer	•	•	•	•	•	•
Electric Rear Window Defroster	-	-	-	-	•	•
Automatic Headlamp System	-	-	-	-	-	•
Automatic Headlamp Cancel Function	•	•	•	•	•	-
Fog Lamps	-	-	-	-	-	•
Stake Pockets, Bed Rail Caps	•	•	•	•	•	•
Easy Lower & Lift Tailgate, Cargo Bed Tie-Downs & Removable Locking Tailgate	•	•	•	•	•	•
Bed Rail System	-	•	-	-	•	•
Tie-Down Cleats (set of 4)	-	•	-	-	•	•
SR5 Badges	-	•	•	•	•	-
LTD Badges	-	-	-	-	-	•

## 2009 Tundra 4x2 Features

		Regular Cab		Double Cab		vMax
	DLX Long	SR5 Long	Std Std		SR5 Short	LTD Short
PACKAGES	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L
Regular Cab SR5 Package:						
Bed Rail System, Tie-Down Cleats (set of 4), Power Door Locks, Power Windows w/Driver Side Auto Down, Keyless Entry, Sliding Rear Window, Premium Cloth Seats, Front Passenger Seat Fold-Down Seatback, Variable Intermittent Wipers, Chrome Grille & Rear Bumper, Coloured Resin & Chrome Front Bumper, Carpeting, Digital Clock, 18" Aluminum Alloy Wheels w/Wheel Locks, P275/65R18 Tires, Outside Temperature Gauge, Automatic Transmission Oil Temp Gauge, SR5 Badges	0	_	_	_	_	_
Double Cab SR5 Package:						
Front Bucket Seats, Power 8-Way Driver Seat, Telescopic Steering Wheel, Rear Window Privacy Glass, Accessory Meter, Overhead Console Box, Console Mounted Gate-Type Shifter, Front Seat Back Pockets, Under Rear Seat Storage Trays, Sliding Rear Window, Front Console Box w/Lid, 18" Aluminum Alloy Wheels w/Wheel Locks, P275/65R18 Tires	_	_	0	_	_	_
Double Cab Upgrade Package:						
SR5 Package plus: Bed Rail System, Tie-Down Cleats (set of 4), Front & Rear Clearance Sonar, In-Dash 6-Disc CD Changer, Integrated Garage Door Opener, Auto-Dimming Rear View Mirror w/Digital Compass, Fog Lamps, Vehicle Anti-Theft System	_	_	0	_	_	_
CREWMAX Upgrade Package:						
Front & Rear Clearance Sonar, In-Dash 6-Disc CD Changer, Integrated Garage Door Opener, Auto-Dimming Rear View Mirror w/Digital Compass, Fog Lamps, Vehicle Anti-Theft System, Power Tilt/Slide Moonroof w/Sunshade	_	_	_	_	0	_

<sup>● =</sup> Standard ○ = Optional — = Not Available

# 2009 Tundra 4x2 Specifications

	Regu	Doub	le Cab	CrewMax		
	DLX	SR5			SR5	LTD
ALGGUANICA I	Long	Long	Std		Short	
MECHANICAL	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L
Engine						
4.7 Litre, i-FORCE V8, DOHC, 32-Valve, Variable Valve Timing w/Intelligence (VVT-i),						
Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler	•	-	•	-	-	-
5.7 Litre, i-FORCE V8, DOHC, 32-Valve, Dual Variable Valve Timing w/Intelligence (Dual VVT-i),						
Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler	-	•	-	•	•	•
Compression Ratio						
10.0:1	•	-	•	-	-	-
10.2:1	-	•	-	•	•	•
Horsepower						
276 hp (206 kW) @ 5,400 rpm	•	-	•	-	-	-
381 hp (284 kW) @ 5,600 rpm	_	•	-	•	•	•
Torque						
313 lb.ft. (424 N.m.) @ 3,400 rpm	•	-	•	-	-	-
401 lb.ft. (544 N.m.) @ 3,600 rpm	-	•	-	•	•	•
Suspension						
Front: Double-Wishbone, Gas-Filled Shock Absorbers, Coil Springs, Stabilizer Bar	•	•	•	•	•	•
Rear: Heavy-Duty Multi-Leaf Springs, Bias Mounted Gas-Filled Shock Absorbers	•	•	•	•	•	•
Drivetrain						
Automatic Limited Slip Rear Differential, Vehicle Stability Control (VSC), Traction Control (TRAC)	•	•	•	•	•	•
Transmission						
5-Speed, Automatic, Overdrive, Super Electronically Controlled Transmission (Super ECT),						
Sequential Shift Mode, Lock-Up Torque Converter	•	-	•	-	-	-
6-Speed, Automatic, Overdrive, Super Electronically Controlled Transmission (Super ECT),						
Sequential Shift Mode, Lock-Up Torque Converter	-	•	-	•	•	•
Automatic Transmission Oil Warmer, Transmission Cooler	•	•	•	•	•	•
Column Shifter	•	•	•	•	-	-
Console Mounted Gate-Type Shifter	-	-	0	-	•	•
Brakes						
Power-Assisted, 4-Wheel Ventilated Discs, Antilock Braking System (ABS), Electronic Brake-force						
Distribution (EBD), Brake Assist (BA)	•	•	•	•	•	•
Steering						
Rack & Pinion w/Variable Power Assist	•	•	•	•	•	•
Tires						
P255/70R18, All-Season Radials, Full-Size Spare w/Steel Wheel	•	-	•	-	-	-
P275/65R18, All-Season Radials, Full-Size Spare w/Steel Wheel	0	•	0	•	•	-
P275/55R20, All-Season Radials, Full-Size Spare w/Steel Wheel	_	-	-	-	-	•
· · · · · · · · · · · · · · · · · · ·						

# 2009 Tundra 4x2 Specifications

DIMENSIONS								
DIMENSIONS			_					
Sell (228.7)								LTI Sho
Midth	DIMENSIONS	mm (in.)	4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.
Midth	Length	5810 (228.7)	•	•	•	-	•	•
Height (Unloaded)   1925 (75.7)   1930 (75.9)		6290 (247.6)	-	-	-	•	-	
1930 (75.9)	Vidth	2030 (79.9)	•	•	•	•	•	-
Cargo Bed Length         2480 (97.6)	leight (Unloaded)	1925 (75.7)	•	•	-	•	•	
2000 (78.3)		1930 (75.9)	-	-	•	-	-	
1695 [66.7]	Cargo Bed Length	2480 (97.6)	•	•	-	•	-	
Cargo Bed Width (Between Wheel Wells )         1270 (50.0)		2000 (78.3)	-	-	•	-	-	
Sargo Bed Depth   S64 (22.2		1695 (66.7)	-	-	-	-	•	
Nheelbase   3700 [145.6]	Cargo Bed Width (Between Wheel Wells)	1270 (50.0)	•	•	•	•	•	
	Cargo Bed Depth	564 (22.2)	•	•	•	•	•	
Front: 1725 (67.9) Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (67.9)  Rear: 1725 (47.2)  Rear: 1725 (	Vheelbase	3700 (145.6)	•	•	•	-	•	
Rear: 1725 (67.9)		4180 (164.5)	-	-	-	•	-	
Reating Capacity	rack	Front: 1725 (67.9)	•	•	•	•	•	
S		Rear: 1725 (67.9)	•	•	•	•	•	
Front: 1021 (40.2)	Seating Capacity	3	•	•	-	-	-	
Front: 1021 (40.2)		5	-	-	-	•	•	
Rear: 983 (38.7)		6	-	-	•	-	-	
Front: 1079 (42.5)	Headroom	Front: 1021 (40.2)	•	•	•	•	•	
Rear:       882 (34.7)		Rear: 983 (38.7)	-	-	•	•	•	
Rear: 1131 (44.5)	_egroom	Front: 1079 (42.5)	•	•	•	•	•	
Front: 1694 (66.7)		Rear: 882 (34.7)	-	-	•	•	-	
Front: 1692 (66.6)		Rear: 1131 (44.5)	-	-	-	-	•	
Rear: 1668 (65.7)	shoulder Room	Front: 1694 (66.7)	•	•	-	-	-	
Rear: 1662 (65.4)		Front: 1692 (66.6)	-	-	•	•	•	
Ground Clearance       265 (10.4)       • • •       • • •       • • • • • • • • • • • • • • • • • • •		Rear: 1668 (65.7)	-	-	•	•	-	
260 (10.2)		Rear: 1662 (65.4)	-	-	-	-	•	
255 (10.0)	Ground Clearance	265 (10.4)	•	•	•	-	-	
Approach Angle (degrees)         27         • •            28         • • •         •           Departure Angle (degrees)         21         • •		260 (10.2)	-	-	-	•	•	
28		255 (10.0)	-	-	-	-	-	
Departure Angle (degrees) 21 • •	Approach Angle (degrees)	27	•	•	-	-	-	
· · · · · · · · · · · · · · · · · · ·		28	-	-	•	•	•	
20 • • •	Departure Angle (degrees)	21	•	•	-	-	-	
		20	-	-	•	•	•	

•	•	
•	•	
•	•	
•	•	
-	-	TOWING CAPACITY
•	•	
•	•	
-	-	
•	•	
-	-	
•	•	
•	•	PAYLOAD <sup>3</sup>
•	•	
-	-	
•	•	
-	-	
•	•	
-	_	
•	•	TURNING CIRCLE
-	-	
•	-	
-	•	
-	_	FUEL CAPACITY
•	•	

			Regul	ar Cab	Doub	le Cab	Crew	Мах
			DLX Long	SR5 Long		R5 Long	SR5 Short	LTD Short
ROSS VEHICLE WEIGHT	kg (lb.)		4.7 L	5.7 L	4.7 L	5.7 L	5.7 L	5.7 L
	3080 (6800)		•	-	-	_	-	-
	3035 (6700)		-	-	•	-	-	-
	3175 (7000)		-	•	-	•	•	•
CURB WEIGHT	kg (lb.)							
	2263 (4990)		•	-	-	-	-	_
	2300 (5070)		-	•	-	-	-	-
	2375 (5235)		-	-	•	-	-	-
	2470 (5445)		-	-	-	•	-	-
	2476 (5460)		-	-	-	-	•	-
	2485 (5480)		-	-	-	-	-	•
OWING CAPACITY	kg (lb.)							
	3810 (8400)		•	-	-	-	-	-
	4895 (10800)		-	•	-	-	-	-
	3670 (8100)		-	-	•	-	-	-
	4760 (10500)		-	-	-	•	-	-
	4715 (10400)		-	-	-	-	•	•
'AYLOAD3	m³ (cu.ft.)							
	795 (1755)		•	-	-	-	-	_
	860 (1900)		-	•	-	-	-	
	605 (1340)		-	-	•	-	-	
	655 (1455)		-	-	-	•	-	_
	630 (1395)		-	-	-	-	•	-
	640 (1420)		-	-	-	-	-	•
URNING CIRCLE	m (ft.)							
	13.42 (44.0)		•	•	•	-	•	•
	14.92 (49.0)		-	-	-	•	-	-
UEL CAPACITY	litres (gal)							
	100 (22)		•	•	•	•	•	•
UEL CONSUMPTION RATING <sup>2</sup>	L/100 km	трд						
ity/Highway/Combined	15.2/11.7/13.6	19/24/21	•	-	•	-	-	-
	15.2/10.9/13.3	19/26/21	-	•	-	•	•	•

● = Standard — = Not Available